

C. S. OSBORNE & CO.

ESTABLISHED 1826

125 Jersey Street
Harrison, N.J. 07029 - U.S.A.
Fax #(973) 484-3621
E-mail address: cso@csosborne.com
www.csosborne.com

TOOLS FOR UPHOLSTERERS, AUTO TRIMMERS AWNING AND CANVAS WORKERS



Since 1826, the Osborne family has dedicated itself to providing the very finest tools. Aply assisted by employees who average over ten years of service to the company, the eighth generation of the Osborne family still manages the firm and continues the tradition requiring strict adherence to the highest standards of quality and service. This dedication continues to provide the best possible hand tools for the professional.

PRICING

All orders are accepted on the basis of price in effect at the time of shipment.

OUR GUARANTEE

We will replace, free of charge, any tool which may prove unsatisfactory in performance if sent for inspection, freight prepaid. Tools which are known to have given reasonable service, or have been misused, or damaged, will not be considered defective.

PRODUCT INDEX: ALPHABETICAL

Awl, All Purpose	78	Klinch-It-Fasteners	26	Polywasher, Nylon	44
Awl, Automatic	79	Knife, Bevel Point	65	Prongs	41
Awl, Haft	79, 80	Knives, Broad Point	65	Prong Washers	41
Awl, Peg Haft	80	Knife, Hawkbill	64	Punch, Aligning	69
Awl, Badminton	78	Knife, Skiving	64	Punch, Arch	70
Awl, Saddlers	80	Knife, Skiving Blades	64	Punch, Arch-Sets	71
Awl, Scratch	78	Knife, Sharp Square Point	65	Punch, Belt	73
Awl, Sewing	78	Magnetic Nail and Tack Placer	6	Punch, Belt Set	71
Awl, Stabbing	79, 80	Mallet, Hickory Barrel	67	Punch, Center	69
Awl, Stitching	80	Mallet, Hickory Tinner's	67	Punch, Drive	69
Awl, Tennis	78	Mallet, Poly	67	Punch, Mini-Set	72
Basket & Weaving Tools	76	Mallet, Rawhide	66	Punch, Oblong Cutting	73
Bazooka, Filler	16	Mallet, Rubber	67	Punch, Pin	69
Belt, Punch	73	Mauls, Rawhide	68	Punch, Revolving	74
Bone, Folders	77	Metal Webbing Stretcher	24	Punch, Self-Centering Set	72
Button, Backs	40-45	Monofilament Thread	48	Punch, Solid	69
Button Chart	35	Moulding Clip Tool	63	Punch, Ventilator	57
Buttons, Combinations	39,43-45	Moulding Lifter	31	Regulators, Plastic Handle	48
Button Machines	35, 36	Nails, Decorative	9	Regulators, All Metal	48
Buttons, Plastic	43	Nail, Theaded & No Dent	42	Removers, Castor Socket	23
Button & Foam Cutters	17	Nail Spacer	9	Release Key Headset	63
Button, Dies	38	Nail, Pliers	9	Remover, Staple	11-13
Button, Double	43	Nail Button Driving Tool	42	Remover, Clip & Door Handle	63
Button, Instructions	37	Needle, Assortment	84	Remover, Trim Pad	63
Carboard Wad	44	Needle, Bent/ Straight Pack	90	Retainer Clip Installer	63
Castor Socket Remover	23	Needle, Bird Pearl	87	Rings, Hog	60
Chalks, Marking	33	Needle, Bolster	88	Rings, Plastic Snaps	43
Chisel, Caning	76	Needle, Canning	76	Rivets, Copper	75
Chisel, Ripping	30-31	Needle, Carpet	90	Rivets, Setter	75
Chisel, Straight	31	Needle Chart	82	Roller, Carpet	62
Clasps, Tufting	46	Needle, Chenille	89	Rulers, Aluminum & Wood	34
Claw Tools	14	Needle, Collar	87	Screw Stud	56
Clips, 3 Prong	25	Needle, Curved	85, 86	Seam Ripper	64
Clips, EK	25	Needle, Curved Leather Point	86	Shells	40
Clips, Lined BW	25	Needle, Flocking	88	Sheath, Knife	65
Clips, Rubber & Webbing	22	Needle, Glovers	89	Shears	57
Combination Tool	31	Needle, Harness	89	Snaps	55-57
Collets	44	Needle, Kits	83	Snap, Dies	54
Connectors, Spring & Wire	26	Needle, Lampshade	85	Snap, Kits	54
Cutter, Button	38	Needle, Loop	47	Snap Rings	43
Cutter, Side	13	Needle, Mattress	86	Snap, Setters	54
Cutter, Wire	24	Needle, Pearl & Bead Sewing	89	Stone, Sharpening	64
Cutting Pad	73	Needle, Pearl & Bead Stringing	89	Spring Bender	23
Dies, Snaps	49, 54	Needle, Sailmaker's	90	Spring Connectors	26
Dies, Ventilators	49	Needle, Serpentine	87	Spring Cutter	24
Durable Snap Setter	54	Needle, Smyrna	89	Spring End Former	26
Eyelet Setter	75	Needle, Spring Eye Straight Pack	90	Spring Puller Hook	22
Foam Cutter, U-Cut	16	Needle, Straight Pack	90	Spring Metal Washer	41
Former, Wire	26	Needle, Straight Single	88	Staple Knocker	12
Glue Sticks	33	Needle, Straight Double	88	Staple Lifters	11-13
Grommets and Washers	51	Needle, Straight Single 3 Sq. Pt.	88	Staple Puller Plier	11
Grommet Die, Inserting	50	Needle, Straight Double 3 Sq. Pt.	88	Staple Removers	11-13
Grommet Die, Midget	52	Needles, Tapestry	89	Stretcher Level Spring	21
Grommet, Hole Cutter	50	Needle, Tufting	46	Stretcher Plastic	20
Grommet Hole Cutter Set	50	Needle, Weaving	87	Stretcher, Blind Seam Stitching	16
Grommet, Kits	53	Nippers, Diagonal Cutting	61	Tack Strip	27
Groovy Staple Remover	13	Nippers, End Cutting	61	Thimbles, Open and Closed	81
Glides, Chair	10	Nylon, Super Hook	44	T-Nuts	23
Glies, Rubber	10	Nylon Tufting Twine	48	Tucking Tool	62
Grommet Machines	35, 36	Palms, Sail and Sewing	81	Tuffer, Button Mattres	47
Hammer, Bronze Magnetic Head	5	Picture Frame Hammer	8	Tufting Tool	47
Hammer, Dead Blow	66	Pincers	61	Upholstery Kits	28-29
Hammer, Glazier & Picture Frame	8	Pinch Dogs	33	Ventilators	57
Hammer, Magnetic Tack	6, 7	Pins, Glass Head	92	Ventilator, Hand Setter	57
Hammer, Nylon Tip	5, 9	Pins, Straight	91	Ventilator , Dies	57, 49
Hammer, Rawhide	66	Pins, "T"	91	Ventilator Punch	57
Hammer, Riveting	8	Pins, Upholstery	91	Webbing Stretchers	20-21
Hammer, Split Head	66	Piping Tins	16	Wire Bender	26
Hammer, Claw Tack	7	Pivots Buttons	43	Wire, Connectors	26
Handles Replacement	5, 8	Plier, Nail Remover	9	Wire Eyes	40
Hook, Spring "T" Handle	22	Pliers, BW	25	Zipper Jig	32
Hog Rings	60	Pliers, Canvas	18	Zipper Stops	32
Hog Ring Pliers	58-60	Pliers, Duckbill	19	Zipper Tool	32
Key, Moulding Release	63	Pliers, Hog Rings	58-60		
Klich-It-Tool	26	Pneumatic Machines	36		

PRODUCT INDEX: NUMERICAL

OSBORNE No.	PAGE No.	OSBORNE No.	PAGE No.	OSBORNE No.	PAGE No.	OSBORNE No.	PAGE No.	OSBORNE No.	PAGE No.	OSBORNE No.	PAGE No.
A1	51, 52	18	78	140-A	80	269	22	513	85	773-HRP	60
B1	51, 52	23-M	59	140-H	79	277 1/2	6	514	88	773-K	60
B1S	52	23P-M	59	141	79	297	22	515	90	777	9
B-1 BOOK	28	23S-M	59	142	80	302	16	516	90	787 A	13
B2	51	23T-M	59	143	80	306 1/2	48	517	89	787 B	13
B-4	28	23TP-M	59	144	80	339	31	518	89	802	34
B-7	29	23TS-M	59	144-43	80	353	69	519	87	869 B	20
B-11	29	24-24	75	144-32	80	354	69	520	48	869 P	20
DB1	19	31	80	145	80	355	69	521-40MM	86	911-P	78
DB1-S	19	32	80	146	14	357	69	522	25	911-PK	78
G1	51, 52	33, 33-H	5	147	73	359	69	523	87	915	42
G1S	52	36	5, 9	149	70	391	66	524	87	925	64
G2	51, 52	36-T	5	149MM	70	393	68	527	48	925-D	64
HB-1	28	39	5	155 1-6	74	395	66	528	48	925-100	64
K-1	83	40	80	155T	74	396	67	553	86	928	80
K-3	83	42	80	160	34	399	62	554	88	1012	32
K-4	83	43	80	161	34	400	73	555	88	1013	32
K-5	83	44	80	164	57	401	23	556	88	1014	32
K-6	83	45	80	168	75	402	30	557	88	1020	64
K-7	83	46	80	169	75	402 1/2	31	559-5	89	1021	64
K-10	84	47	80	170	75	404	24	560-BP	89	1035	7
K-11	84	48	80	178	92	405	76	560-SP	89	1035M	7
K-12	84	49	80	181	92	406	76	561	89	1035-36 ST	8
K-14	71	50-H	80	183	92	407	76	562	89	1035-36 STK	8
K-14MM	71	52	80	189	91	408	47	563	89	1036	7
K-15	84	54	80	190	91	409	86	564	89	1036E	7
K-16	71	56	80	190S	91	410	16	565	89	1036 M	7
K-89	33	57	80	193	91	410-B	16	600	11	1036 P	7
K-156	72	57-sizes	8	196	66	412	16	601	9	1066	13
K-157	72	58	80	197	67	413	79	602	11	1066 B	8
K-159	72	59	80	198	91	414	47	603	73	1066 BF	8
K229	54	60SE	34	199	92	417	46	604-S	78	1066 D	8
K230	54	72	65	200	12	417-L	46	613	46	1066 ST	8
K231	53	76	65	201	13	418	46	614	46	1212	17
K232	53	76 1/2	65	202	14	419	47	615	47	1440'S	58
K233	53	77	65	205	21	420	64	621	57	1440-SC	58
K234	53	78	65	216	50	423	76	622	57	1440-SO	58
K235	53	78 1/2	65	217	50	423-L	76	631	6	1442	60
K-245	71	79 1/2	65	222	6	424-B	76	678	10	1443	60
K257-00	52	85	33	222-S	6	424-S	76	679	10	1444SS	60
K-500	50	86	64	223	74	443	75	680 all paterns	9	1700	75
K-752	63	87	23	223T	74	445-3	25	689	10	1776	26
K4708	55	88	33	229	54	456	75	708	57	1963	26
K4713	55	89	33	230	54	464	77	710	13	2000	33
K4717	55	89SS 1-3/4	33	235	52	465	77	719	24	2003	33
K6708	55	89.5	67	236	6	478	78	720	26	2360T-M	59
N1	51	90	67	237	6	479	65	727	77	2360TP-M	59
N1S	52	91	61	238	6	496	67	727A	77	2360TS-M	59
N2	51	92 1/2	87	239	22	500	50	741	85	3377	61
Needle Chart	82	93	61	245	73	501	85	745	62	4450-3	25
SS	51	94	61	245MM	73	501 1/2	85	746	62	4451	25
SS1-S	52	97	63	249	18	501X	85	747	62	4452	25
T-10	78	98	19	250	18	502	85	757	63	4502	27
T-11	78	98-S	19	251	18	502-1/2	85	758	63	4602	27
V-1	57	99	63	252	21	502X	85	760	63	4700	48
W-1	35	103 1/2	19	253	20	503	86	761 A	15	4702-214	27
W-2	35	111	6	255	20	504	88	761 B	15	4705	48
W-3	36	120	12	257	75	505	88	761 HL	15	4712	56
W-4	36	120 1/2	12	258	24	506	88	761 HN	15	5900	23
WDIGRC	49	121	12	262	31	507	88	761 P	15	7200	26
WDIHUC	38	122	14	263	21	508	90	761/1	14	52247	87
WDISGRC	49	123 1/2	14	264	22	508-1/2	90	761PH/1/2	30	52248	87
WDISN201	49	124	12	265	81	508-1/2 SE	90	761W 1/2	30		
WDISN41	49	124-12	12	266	81	509	90	761W 3/4	30		
WDIVC1	49	140	79	267	16	510	81	762 P	31		
4	78	140-32	79	268	21	511	81	763	13		



OVER
185
YEARS

**THE GOLD MEDALS AWARDED TO C.S. OSBORNE
SYMBOLIZE THE PRIDE TAKEN IN OUR TOOLS BY EIGHT
GENERATIONS OF THE OSBORNE FAMILY**



Osborne brass hammers have an inserted magnet with a steel cap in the small end and a larger steel cap on the other end. These caps are attached by a special soldering method to hold strong and true for industrial use.

7 OZ. HEAD BRONZE MAGNETIC HAMMER

Osborne No. 33



Solid head of bright bronze. Steel tipped at one end for permanent magnet and at the other for hammering. Balanced design, lacquered hickory handle. Replacement handles are also available **Osborne No. 33-H** UPC No. 56046.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	7	1/4	7/16	11	56042

9 OZ. HEAD BRONZE MAGNETIC HAMMER

Osborne No. 39



This hammer is similar to our popular No. 33 magnetic hammer but a heavier version. Lacquered hickory handle. Replacement handles are also available **Osborne No. 33-H** UPC No. 56046.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	9	5/16	7/16	13	56052

NYLON TIP MAGNETIC HAMMER

Osborne No. 36



This hammer is similar to our popular No. 33 magnetic hammer but the large face is fitted with a nylon tip and the other end has an inserted magnet. Used where a soft strike is needed. Lacquered hickory handle. Replacement handles are also available **Osborne No. 33-H** UPC No. 56046.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	6	1/4	7/16	11	56072

Nylon tips also available separately. **Part No. 36-T** UPC No. 56076

REPLACEMENT HANDLES

Osborne No. 33-H



Lacquered hickory replacement handles for above hammers. Include widget. UPC No. 56046.



Osborne magnetic hammers will give long service if properly used and stored. The magnetic end should be used only for setting a tack in place. The striking end is for driving tacks home. The magnetic head should never be left in contact with other steel objects. Should one of our hammers lose its magnetism, we will re-magnetize free of charge if it is sent prepaid to the factory.

MAGNETIC TACK HAMMER BALANCED



Osborne No. 222


Forged steel. Fully polished split head. Lacquered hickory handle. A versatile magnetic hammer. Made to U.S. Government specifications.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	7	5/16	9/16	13	56012

Osborne No. 222-S

This hammer is the same as the No. 222 except it has an extra small 1/4" face. If this small size is wanted, specify No. 222-S. All other dimensions are the same. UPC No. 56018.

LIGHT WEIGHT UPHOLSTERS' HAMMER




Osborne No. 111

Forged steel. Similar to our Osborne No. 222 but with a lighter weight head.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea. (oz)	UPC No.
5 1/4	6	5/16	9/16	7	56022

MAGNETIC TACK HAMMERS - Short head



Popular weights and sizes for window trimmers, upholsters and house hold use. Forged from our special tool steel, carefully tempered. Fully polished head. Lacquered hickory handle.

Osborne No.	Length of head (in)	Weight of head (oz)	Magnetic face (in)	Overall length (in)	Weight ea (oz)	UPC No.
236	3 1/2	4	1/4	11	6	56032
237	4 1/8	5	1/4	11	7	56034
238	4 3/8	7	5/16	10 1/2	11	56036

MAGNETIC NAIL & TACK PLACER



Osborne No. 631

The 5/8" octagon shank is made of stainless steel with a powerful permanent alnico magnet inserted in the tip. Can be used to set nails and tacks in a tight place. 2 sizes available.

Osborne No.	Overall (inches)	Weight ea. (oz)	UPC No.
631 5-1/2	5 1/2	13	64422
631 8	8	22	64424

RIPPING HAMMER




Osborne No. 277 1/2

Forged steel, balanced and tough. Double edged at right angles for stripping off old fabric. A favorite with upholsters.

Overall (inches)	Length of head (inches)	Width of bits (inches)	Weight ea. (oz)	UPC No.
10 1/4	5	13/16	13	56162

CLAW TACK HAMMER




Osborne No. 1035

Original upholsterer's hammer. Forged steel head hardened and polished. Hickory lacquered hardwood handle. Round shaped head. Hammer has spring stabilizers. 2 sizes available.

Size	Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
8	5-1/2	11	5/16	12	13	70006
10	5-1/2	12	7/16	12	14	70000

MAGNETIC TACK HAMMER




Osborne No. 1035 M

Same as above but with magnetic split round head. Available in 3 different sizes.

Size	Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
M8	5 1/2	11	5/16	12	13	64532
M9	5 1/2	11	3/8	12	14	64546
M10	5 1/2	12	7/16	12	14	64530

TACK HAMMER




Osborne No. 1036

Similar to our Osborne No. 1035 but with a shorter head and lighter weight. Upholstery hammer with spring stabilizers. Hardwood lacquered handle. Forged steel head hardened and polished. 4 sizes available.

Size	Length of head (inches)	Weight of head (oz.)	Magnetic face (inches)	Overall length (inches)	Weight ea. (oz.)	UPC No.
10	4 1/2	4	3/8	12	8	70020
12	4 1/2	4	7/16	12	8	70024
13	4 1/2	5	1/2	12	8	70026
14	4 1/2	5	9/16	12	9	10028

MAGNETIC TACK HAMMER



Osborne No. 1036 M

Same as above but with magnetic split round head. Available in 2 different sizes.

Size	Length of head (inches)	Weight of head (oz.)	Magnetic face (inches)	Overall length (inches)	Weight ea. (oz.)	UPC No.
M10	4 1/2	11	3/8	12	8	70010
M12	4 1/2	12	7/16	12	8	70014

NYLON TIP TACK HAMMER



Osborne No. 1036 P


Forged steel head hardened and polished. Hickory lacquered hardwood handle. Round shaped end. It also has spring stabilizers. 2 sizes available.

Size	Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
12	4-1/2	13	7/16	12	14	70032
14	4-1/2	14	1/2	12	14	70034

Replaceable nylon tips are also available **Osborne No. 1036E-12** or **Osborne No. 1036E-14**. Specify size when ordering.



GLAZIER & PICTURE FRAMING HAMMERS



Osborne No. 1066 B


Hardwood handle. Forged steel head fully polished. An industry standard. Accurately finished straight sides and square face for striking.

Overall of head (inches)	Face diameter (inches)	Overall length (inches)	Weight ea. (oz.)	UPC No.
4-1/4	11/16	12	6	70042

Osborne No. 1066 BF

Same as above glazier hammer, but with stabilized spring handle (bleiches). UPC No. 70044.

MAGNETIC TACK HAMMER (Split head)



Osborne No. 1066 D

Magnetic tack hammer with hardwood handle. Forged steel head hardened and polished with inserted magnet.

Length of head (inches)	Weight of head (oz.)	Diameter of face (in)	Overall length (in)	Weight ea. (oz.)	UPC No.
4-1/4	4	11/16	12	6	70046

RIVETING HAMMER



Osborne No. 57

Forged steel highly polished head. Hardwood handle. Different sizes available.

Size No.	Length of head (inches)	Diameter of face (inches)	Weight of head (oz)	Weight each (oz)	UPC No.
000	3	3/8	2 1/2	4	56082
00	3 3/8	3/8	3	4	56084
0	3 5/8	7/16	4	6	56086
1	4	1/2	5	8	56088
2	4 1/4	9/16	7	12	56090
3	4 1/2	5/8	9	14	56092
4	4 3/4	3/4	12	16	56094

REPLACEMENT HANDLES & WEDGES



Osborne No. 1035-36 ST

Replacement hardwood handles for the 1035 and 1036 hammers.

Overall length (inches)	Diameter of handle (inches)	Weight ea. (oz)	UPC No.
12	5/8	3	70002

Osborne No. 1035-36 STK

Replacement wedges for 1035 & 1036 hammers. UPC No. 70004.

REPLACEMENT HANDLES



Osborne No. 1066 ST

Replacement hardwood handles with bleiches and wedges for above hammers.

Overall length (inches)	Diameter of handle (inches)	Weight ea. (oz)	UPC No.
12	5/8	3	70048

QUICK NAILER

Patent No. 4079764



Osborne No. 777

FANCY NAIL SPACER FOR SPACING ANTIQUE NAILS.

Set up to 5 nails head to head at one time without damaging the furniture, or your fingers. Exact spacing at the same time! Load large end of tool making sure nails are perpendicular to and shanks are flush with base of tool. Position tunneled section of tool over last nail driven and begin setting nails. Removal of tool may require twisting motion and/or pressure against nail heads with free hand. Use Osborne No. 36 Nylon tip hammer for best results.

Overall length (inches)	Weight ea. (oz)	UPC No.
6	3	64502

ANTIQUÉ NAIL PLIER



Osborne No. 601

Hardened steel, top quality. Very convenient size for removing antique nails. Unique design.

Overall length (inches)	Width (inches)	Weight ea (oz)	UPC No.
7	1 3/4	6	54212

DECORATIVE NAILS

Osborne quality steel nails with natural brass finish. Please specify length size and style. Each pattern should be ordered by length of nail. They are packed 1000 each per box. Weight per box 2 lbs.

	Osborne No.	Type	Sizes	1 M Nails per box	1 M Nails per box, packed 100 per poly	UPC No.	Poly bag (please designated by using style number + "S")
	680	Oxford Hammered 7/16" diameter	1/2" 5/8" 3/4"	14442 14444 14446	680S	14447 14449 14448	<p>100 Oxford Hammered ANTIQUE DECORATIVE NAILS OSBORNE No. 680S 5/8" Ideal for Decorating and Fastening Fabrics and Leather</p> <ul style="list-style-type: none"> FURNITURE WOODEN CHESTS STORAGE CHESTS EARLY FRONTIER ITEMS CUSHIONED OBJECTS KEY RACKS GIFT ITEMS <p>C. S. OSBORNE & CO. - Harrison, N.J. 07029 U.S.A.</p>
	681	French Natural Small 3/8" diameter	1/2" 5/8" 3/4"	14452 14454 14456	681S	14457 14459 14468	
	682	French Natural Regular 7/16" diameter	1/2" 5/8" 3/4"	14462 14464 14466	682S	14467 14469 14468	
	682N	French Natural NICKEL PLATED 7/16" diameter	1/2" 5/8" 3/4"	14472 14474 14466	682NS	14477 14479 14478	
	683	Daisy Ornamental 7/16" diameter	1/2" 5/8" 3/4"	14482 14484 14486	683S	14487 14489 14488	
	684	Overlap 7/16" diameter	1/2" 5/8" 3/4"	14492 14493 14494	684S	14495 14498 14496	
	685	Spanish Lg. 5/8" diameter Sm. 7/16" diameter	1/2"	14497 13700	685S 250 nails	14499 13702	

NYLON TIP MAGNETIC HAMMER

FOR A SOFT STRIKE ON DECORATIVE NAILS



Osborne No. 36

Large face is fitted with a nylon tip and the other end has an inserted magnet. Used where a soft strike is needed. Lacquered hickory handle. Replacement handles are also available **Osborne No. 33-H** UPC No. 56046.

Length of head (inches)	Weight of head (oz)	Magnetic face (inches)	Large face (inches)	Weight ea (oz)	UPC No.
5 1/2	6	1/4	7/16	11	56072

BLUED STERILIZED TACKS



Corrugated tacks
also available.



Osborne No. 689C-12

Osborne No. 689

Sharp points and strong, thin oval heads are ideal for attaching all types of webbing, fabric and leather. Sturdy construction and blued finish to protect against rusting. Sterilized by radialion. Sold in 1 lb. boxes. Available in 4 sizes.

Osborne No.	Description	Weight/box	UPC No.
689-3	3/8" Length - Blued sterilized tacks	1 lb.	14038
689-6	1/2" Length - Blued sterilized tacks	1 lb.	14040
689-12	1 1/16" Length - Blued sterilized tacks	1 lb.	14042
689-12C	1 1/16" Length - Same but corrugated	1 lb.	14044

CHAIR RUBBER GLIDES



Osborne No. 678

Fully nickel plated. Rubber cushioned for shock absorption. Packed and sold 400 pcs. per box.

Osborne No.	Head diameter (inches)	Length of tack (inches)	Weight/box (lbs)	UPC No.
678	7/8	3/4	8 lb.	35016

CHAIR GLIDES



Osborne No. 679BR



Osborne No. 679WH

Osborne No. 679

High quality and long lasting plastic heads with 1 1/16" long nickel plated tack. Sharp point. Available in BROWN and WHITE. 3/4" or 5/8" head diameter. Packed 1,000 pcs. or 5,000 pcs. per box. Please specify preference when ordering.

Osborne No.	Description	Weight/box	UPC No.
679BR-1000	3/4" diameter brown glides 1000 pcs.	4 lbs.	35000
679BR-5000	3/4" diameter brown glides 5000 pcs.	21 lbs.	35002
679BR-SM 1000	5/8" diameter brown glides 1000 pcs.	4 lbs.	35004
679BR-SM 5000	5/8" diameter brown glides 5000 pcs.	21 lbs.	35006
679WH-1000	3/4" diameter white glides 1000 pcs.	4 lbs.	35008
679WH-5000	3/4" diameter white glides 5000 pcs.	21 lbs.	35010
679WH-SM 1000	5/8" diameter white glides 1000 pcs.	4 lbs.	35012
679WH-SM 5000	5/8" diameter white glides 5000 pcs.	21 lbs.	35014



STAPLE PULLER PLIER



Osborne No. 600

Forged steel. Vinyl handles to add comfort. Nose of the plier is bent at the right angle to go under the staple, grab it and pull it out.

Overall length (inches)	Maximum head opening (inches)	Weight ea. (oz)	UPC No.
6 1/2	7/8	6	54216

STAPLE PULLER PLIER



Osborne No. 602

Forged steel. Blued finished. Vinyl handles to add comfort and prevent from slipping. Opening spring. The uniquely design welded pin gives leverage when pulling out the staples and is plastic coated to prevent any damage to furniture. Sharp points with a hook design overlap when closed to pull staples out with ease.

Overall length (inches)	Maximum head opening (inches)	Weight ea. (oz)	UPC No.
8	3/4	9	54214



STAPLE LIFTER




Osborne No. 120 1/2

The correct angle for removing staples of any size, from the smallest to the longest leg staples. Manufactured from alloy tempered steel. Electronically hardened working ends. Fluted amber cellulose acetate handle to keep from rolling.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
4 1/2	8 1/2	4	64006

STAPLE KNOCKER



Osborne No. 120

Staple knocker for removing staples and shredded material. Manufactured from top grade steel. Electronically hardened working ends. Fluted amber cellulose acetate handle to keep from rolling. Used with Osborne hickory or rawhide mallets.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
4 1/2	8 1/2	4	64004

STAPLE REMOVER



Osborne No. 124

Forged from alloy tempered steel. A consistently made Osborne quality product. Carefully hardened for long lasting use. Hardwood handle with nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 1/4	6	4	64014

STAPLE REMOVER



Osborne No. 124-12

Similar to our Osborne No. 124 but with longer blade. Ideal to remove staples in hard to reach places.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
12	6	4	64016

TACK & STAPLE REMOVER



Osborne No. 121

Used for grooving out drawers, so when re-glued they will stick. Also removes staples. Made of forged steel with wooden handle and a nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 1/2	6 1/2	2	64010

CLAW TOOL



Osborne No. 200

Narrow at the point to get in tight places without harming fabric or wood. Hardened and tempered end. Wooden handle with nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
3 1/4	7 1/2	3	64220



STAPLE LIFTER



Osborne No. 763

Forged steel. Nickel plated. Fluted amber cellulose acetate handle to keep from rolling. Designed to dig down and to remove staples quickly.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 1/4	6 1/2	4	64784

STAPLE AND TACK LIFTER



Osborne No. 1066

Polished and forged steel blade. Hardwood handle. Nickel plated ferrule. A European favorite.



Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
3 5/8	8	3	64018

GROOVE STAPLE REMOVER



Osborne No. 710

Electronically hardened working end. Fluted amber cellulose acetate handle to keep from rolling.

Remove welt cord from groove.


Pull upholstery fabric from groove leaving staples exposed.

Reach in groove with staple puller.

Working end

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
3 7/8	7 3/4	3	64020

STAPLE AND TACK CLAW



Osborne No. 201

A quality forged tack claw. Pointed ends are hardened and tempered to prevent breakage. Wooden handle with nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 1/2	7	4	64224

SIDE CUTTER - STAPLE REMOVERS



TOP VIEW

Osborne No. 787 A

Forged steel with extra long, pointed cutter. Bevel cut. Polished head with vinyl handles. Depth of head aids in removing staples. This is the famous European "Vienner".



SIDE VIEW

Osborne No. 787 B

Similar to above but with Flush cut. Forged steel with extra pointed cutter.

Osborne No.	Overall length (inches)	Angle of head (degrees)	Type of cut	Weight each (oz.)	UPC No.
787 A	6 1/2	45	Bevel	3	64806
787 B	6 1/2	45	Flush	3	64808

CLAW TOOL



Osborne No. 123 1/2

Boss claw tool. Drop forged blade with 1/2 inch diameter shank. Translucent amber cellulose acetate handle. Very sturdy.

Length of blade (inches)	Overall length (inches)	Weight each (oz)	UPC No.
2 5/8	7	6	64210

STAPLE AND TACK CLAW



Osborne No. 202

Sturdy forged steel cobbler's claw tool with multisided amber plastic handle. Hardened and tempered ends.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 1/2	7	4	64226

CLAW TOOL



Osborne No. 122

This claw is specially designed for lifting tacks and small nails. Drop forged steel blade. Hardwood handle. Nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 7/8	7 1/4	3	64204

CARDED TACK CLAW



Osborne No. 146

Cold drawn 1/2 inch tempered plated steel blade. Black plastic handle. Carded on yellow background 8 1/2" x 3 1/2".

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
3 1/4	7 1/2	3	64220



View of claw

CLAW TOOL



Osborne No. 761/1

The ideal tool for pulling tacks or nails. Forged steel blade, nickel plated. Hardwood pear shaped handle. Nickel plated ferrule.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
3 1/2	7 3/4	4	64780



CLAW TOOL



Osborne No. 761 A

Similar to our Osborne No. 761/1 but with longer blade.

Length of blade (inches)	Overall length (inches)	Weight each (oz)	UPC No.
4 ³ / ₈	8 ³ / ₄	6	64769

STAPLE AND TACK CLAW



Osborne No. 761 B

Similar to our Osborne No. 761 A but with reinforced striking end on the handle. The blade and overall length is shorter.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
2 ¹ / ₄	6 ¹ / ₂	4	64784

CLAW TOOL



Osborne No. 761 P

Similar to our Osborne No. 761 A but with a cellulose acetate handle.

Length of blade (inches)	Overall length (inches)	Weight each (oz.)	UPC No.
4 ³ / ₈	8 ³ / ₄	6	64774

REPLACEMENT HANDLES



Osborne No. 761 HN

Replacement handle for our popular Osborne No. 761 B. Hardwood with reinforced striking end.



Osborne No. 761 HL

Replacement handle for our popular Osborne No. 761W 1/2 Ripping Chisel. Hardwood with reinforced striking end.



Osborne No.	Overall length (inches)	Weight each (oz.)	UPC No.
761 HN	4 ³ / ₄	2	64771
761 HL	5	2	64773

U-CUT FOAM RUBBER SLICER - Patented

Osborne No. 410

U-Cut is fast and flexible. Place U-Cut on a flat surface with the slab of material to be cut. The desired cutting thickness is quickly obtained by means of an adjustable screw setting. The operator then merely pushes and pulls the U-Cut in a saw-like action making wedges, curves, arcs and other special shapes. U-Cut is great for proto-typing and small furniture jobs. U-Cut will cut from a minimum thickness of 1/4" to a maximum thickness of 9". Material up to 36" in width and unlimited length can be processed. Scrap can be glue, salvage and re-cut.

Extra blades available. **OSBORNE No. 410-B** UPC No. 14354.



Special sharp blade for easy cutting

Overall length (inches)	Width (inches)	Weight (oz.)	UPC No.
46	17	7-1/2	14352

BLIND STITCHING SEAM STRETCHER

Osborne No. 267

Made of light aluminum, simple toggle clamp construction. Easy to operate. Minimum length 12" for pillows, maximum length 3 feet. Rigid when in use. Can also be used as calipers for cutting large circles and blind stitching. Easy to follow instructions on each package. Points easily replaced on this high quality tool.



INSTRUCTIONS FOR OPERATING ARE PRINTED ON PACKAGING

Overall length (inches)	Weight (oz)	UPC No.
40	12	64276

PIPING OR CHANNELING TINS

Osborne No. 412

These 36" long piping tins are made of smooth aluminum. No burrs to catch on fabric while stuffing channeling, the material is soft so tins can be bent and adjusted. Sold in pairs in three different sizes for your convenience. Please specify size when ordering.



Osborne No.	Overall length (inches)	Width (inches)	Weight per pair (oz)	UPC No.
412-2	36	2	15	64362
412-3	36	3	15	64364
412-4	36	4	16	64366

FILLER BAZOOKA

Osborne No. 302

Now fill cushions, pillows, pillows backs, mattresses, mattress pads and much more the easy way. Turn tedious jobs into a simple ones by placing the back end of the Bazooka just above the loose filler container and the front end into the item to be filled. In seconds, the Bazooka literally sucks the loose filler into the sleeve being filled, saving approximately 98% of the mess and waste. It's also a vacuum cleaner.



SAVE TIME AND MONEY WITH THIS HIGH PERFORMANCE AIR STREAM.

Weighs: 2 lbs. Overall length: 36 inches. UPC No. 10302.


- * Can be used with down, kapok, shredded foam, styrofoam pellets and other loose materials.
- * Bright, lightweight aluminum - 28" length, 2" outside diameter.
- * Operates on 60 to 90 lbs. of pressure.
- * Completely assembled and ready for immediate use.

FABRIC CUTTERS FOR BUTTONS



Osborne No. 1212

Polished, high quality and sharpened with the best technic. Cuts multiple layers of fabric at time. Additional sizes upon request. For use in a drill press or with a hand held power drill.




Osborne No.	Diameter of button (inches)	Diameter of cutter (inches)	Weight per pair (oz.)	UPC No.
1212-22	1/2	1	2	64562
1212-30	3/4	1 1/4	2	64564
1212-36	7/8	1 7/16	3	64566
1212-40	1	1 1/2	4	64568
1212-45	1 1/4	1 3/4	4	64570

FOAM CUTTERS



Osborne No. 1212

Extremely sharp carbonized cutting edge. For use in a drill press or with a hand held power drill. For soft materials only.



Osborne No.	Diameter of button (inches)	Weight per pair (oz.)	UPC No.
1212 1/2	1/2	2	64534
1212 3/4	3/4	2	64536
1212 7/8	7/8	3	64538
1212 1	1	3	64540
1212 1-1/8	1 1/8	4	64542
1212 1-1/4	1 1-1/4	4	64544
1212 1-1/2	1-1/2	4	64548
1212 1-3/4	1-3/4	4	64550

WEBBING, CANVAS PLIER



Osborne No. 250

Made with hammer jaw, the hammer acts as a lever when a strong pull is required. Excellent tool for stretching canvas and leather as well as webbing. Vinyl handles. Fully nickel plated.

Length (inches)	Width of jaw (inches)	Weight ea. (oz.)	UPC No.
8 1/2	3 3/8	18	54042

WEBBING, CANVAS PLIER



Osborne No. 251

Similar to our popular Osborne No. 250 Webbing, Canvas Plier but with short jaw. Fully nickel plated.

Length (inches)	Width of jaw (inches)	Weight ea. (oz.)	UPC No.
8 1/2	1 1/2	17	54044


CANVAS STRETCHING PLIER



Osborne No. 249

Designed for today's trend to the clean line (or "hard edge") look of canvas made taut over three sides of its wooden stretcher frame. Parallel extensions permit pressure to be applied to the inner side of the wooden stretcher. Works also on heavy and primed canvas. Vinyl handles. Fully nickel plated.

Length (inches)	Width of jaw (inches)	Weight ea. (oz.)	UPC No.
9	3 3/8	18	54046





DUCK BILL PLIERS



Osborne No. DB1 (Serrated jaw) and Osborne No. DB1-S (Smooth jaw)

Made of malleable iron. Jaw width extra wide. Special small finger crook. Nickel plated, popular style. Also available with smooth jaw .

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No. (serrated)	UPC No. (smooth jaw)
7	1	6	54012	54014

DUCK BILL PLIERS



Osborne No. 98 and 98-S

Finest professional quality. These pliers are drop forged from high carbon steel. The jaws are hardened, tempered and carefully polished.

Ideal for stretching material in tight places where space is too limited for using ordinary stretching pliers.

Also available with smooth jaw No. 98-S.

Length (inches)	Width of jaw (inches)	Weight ea (oz)	UPC No. (serrated)	UPC No. (smooth jaw)
7	1	6	54016	54018

NEEDLE NOSE STRETCHING PLIERS



Osborne No. 103 1/2

Forged steel. Single pivot, polished jaws, red vinyl handles. Slightly serrated jaw. Great for stretching material where space is too limited for using ordinary stretching pliers.

Overall length (inches)	Weight ea (oz)	UPC No.
6-1/2	3	54022

GOOSENECK WEBBING STRETCHER



Osborne No. 253

A hand stretcher to catch the webbing close to the frame with plenty of leverage. Equally efficient for right or left hand. Hickory hardwood handle with nickel plated ferrule.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
10	4	14	64266



Gooseneck Webbing Stretcher being used with our popular Magnetic Hammer No. 33.

Osborne No. 253-R

Rubber piece for above Webbing Stretcher. UPC No. 64267.

WEBBING STRETCHER (Rubber End)




Osborne No. 255

Webbing stretcher made of hardwood maple with corrugated rubber at one end, and one row of 6 sharpened steel pins at other end.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
8	3-1/4	8	64268

WEBBING STRETCHER (Groove End)



Osborne No. 869 B

Same as above but without rubber piece on one end. It has a groove at the other end which provides secure when stretching the material.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
6-3/4	3-1/4	6	65130

PLASTIC WEBBING STRETCHER (Groove End)



Osborne No. 869 P

Made of hard durable plastic which makes it lighter. Groove at the end to provide better security when stretching the material.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
6-13/16	2-7/8	3	65132

WEBBING STRETCHER




Osborne No. 252

A handy tool for stretching sagless webbing and punched metal strip webbing.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
9	3-1/2	10	64264

LEVER SPRING STRETCHER



Osborne No. 268

Used for heavy duty installations and is a safe method for installing sinuous type springs. Just set spring into rear frame clip and then pull spring into position from the front of the frame.

Length (inches)	Width of handle (inches)	Weight ea (oz)	UPC No.
4-1/4	3-1/2	2	58242

WEBBING STRETCHER



Osborne No. 205

Safe - No sharp teeth. English Pattern Webbing Stretcher. Made of American Hard Rock Maple. Finely finished. Toughest quality. Can be used with any webbing.

Length (inches)	Hole (inches)	Weight ea (oz)	UPC No.
11	2-3/8 x 1/2	8	64262

RUBBER & ELASTIC WEBBING STRETCHER



Osborne No. 263

This sturdy stretcher grips without spikes, stretches accurately and evenly. Protects edges of furniture from being marred. Designed for rubber webbing, but can be used on any webbing.

Length (inches)	Width (inches)	Weight ea (oz)	UPC No.
9-3/4	4-1/4	18	64272

HOOK



Osborne No. 264

Hook for pulling No. 239 clips on Elastic and Rubber Webbing.

Length (inches)	Width (inches)	Weight (oz)	UPC No.
7-1/4	2	7	58232

SPRING PULLER HOOK



Osborne No. 297

Can be used in conjunction with the No. 268 Lever Spring Stretcher.

Length (inches)	Width of handle (inches)	Weight ea (oz)	UPC No.
4-1/4	3-1/2	2	58242

"T" HANDLE SPRING HOOK



Osborne No. 269

Hardened and tempered wire secured to a white plastic handle with a screw. Used to reach deep inside seat frame and pull spring into clip.

Length (inches)	Width of handle (inches)	Weight ea (oz)	UPC No.
8	4	3	64278

CLIP FOR RUBBER WEBBING



Osborne No. 239

Metal clips used for rubber webbing jobs. Polished and excellent quality. Packed in two different quantities.

Size	Width (inches)	Each per box	Weight bx(lbs)	UPC No.
S	2	250	4 1/2	14242
L	2	1250	22 1/2	14244

CASTOR SOCKET REMOVER



Tips also available separately. Part No. 87-TIP
UPC No. 80058.

Osborne No. 87

Hardened threaded end that securely screws into socket. Slide hammer knocks it out. Work with our **T-NUTS No. 5900**.

Overall length (inches)	Width (inches)	Weight (oz)	UPC No.
12-1/2	1-1/2	1-1/2	64002

T-NUTS




Osborne No. 5900

High quality T-Nuts clean cut thread for easy installation of legs, casters, etc. Hold fast in any type or wood. 3 sizes available.

Osborne No.	Thread	Barrel Height	# of prongs	Flange Diameter	Pcs./ box	Weight per box	UPC No.
5900-10-24	10-24	5/16"	3	23/32"	100	0.6 lbs.	78660
5900-1/4-20	1/4-20	5/16"	4	3/4"	100	0.8 lbs.	78656
5900-5/16-18	5/16-18	5/8"	4	7/8"	100	1.8 lbs.	78664

SPRING BENDER



Osborne No. 401

Spring bender, which is both simple in application and efficient in use. Nickel plated ends are slotted to fit curves which can be bent with slight pressure or can be used to unbend previously made bends. This is precisely manufactured so that arcs, angles or curves can be properly made. Available in two sizes.

Sold by pairs. Please specify size when ordering.

Osborne No.	Size (inches)	Weight/pair (oz.)	UPC No.
401-1	3/8 x 1	12	14312
401-2	3/8 x 2	28	14314

Osborne No. 401-2 not only used on auto seats but also on new furniture.

SPRING END FORMER




Osborne No. 404

Crimps the end of zig-zag springs and opens end coil springs.

A tough tool to make work easy. Comes with three bolts and nuts. Bolt to corner of bench or 1" block no more than 5" from edge of bench. Can be used in a vise. 5/16" holes drilled 1-3/4" apart.

Length (inches)	Width (inches)	Weight (lbs.)	UPC No.
13	1/2	1-1/4	14322

METAL WEBBING STRETCHER (4 IN ONE TOOL)



Osborne No. 258

A versatile all metal tool for stretching various types of metal webbing, sagless springs, punched straps, etc. Flat handle gives lots of leverage.

Length (inches)	Width (inches)	Weight (lbs.)	UPC No.
9-1/2	2-1/4	1-1/4	64270

HEAVY DUTTY SPRING WIRE CUTTER



Osborne No. 719

This work station side cutter can be permanently bench-mounted or bolted to a plank, for easy transportation to a job site.

Consists of a 3" x 6" base with a 22" long handle. Cuts 1/4" (6mm) medium, hard and non-alloy chain metals. The right tool for cutting zig-zag springs, etc.

Base (inches)	Height (inches)	Weight (lbs.)	UPC No.
3 x 6	22	7-1/2	14500

SPRING CLIP PLIERS



NICKEL PLATED

Osborne No. 445-3

A special plier used for applying edge wire clips to edge wire and springs. A great time saver. No. 445 regular sets Kay or Baker clips. Sets our clips Osborne No. 4450-3.

Length (inches)	Weight ea (oz)	UPC No.
7	8	54232

BW CLIP PLIER




Osborne No. 522

This sturdy quality tool is specially designed for rapid closing of 1/4 " cushion spring (two 8 gauge wire) clips. Contoured handle with vinyl grips provide comfort and firmness.

Length (inches)	Weight ea (oz)	UPC No.
7	11	54222

CLIPS



3 PRONG CLIP

Osborne No. 4450-3

High quality three prong clips for use with our No. 445-3 Spring Clip Pliers. These clips are specially designed for closing with Osborne No. 445-3.



RUBBER COATED EK CLIP

Osborne No. 4451

High quality EK Clips. Also they are packed 250 clips to a box.




LINED BW-CLIP

Osborne No. 4452

Used to attach zigzag springs, edge springs and torsion springs to border and edge wires. Osborne lined BW Clips won't squeak. Solid steel construction. Osborne No. 522 BW Clip Pliers are specially designed for closing BW Clips.

Osborne No.	Length (inches)	Width (inches)	Weight per box (lbs)	Quantity per box	UPC No.
4450-3	1-1/2	1/2	3	250	14622
4450-5000	1-1/2	1/2	62	5000	14624
4451	7/8	1/2	3 1/4	250	14632
4451-5000	7/8	1/2	66	5000	14634
4452	7/8	1/2	3	100	14633
4452-5000	7/8	1/2	62	5000	14635

KLINCH-IT TOOL



Osborne No. 720

Quick and easy to use. Klinch-it increases your production by speeding up one of the greatest time-consuming operations. It eliminates the slow, old fashioned method of sewing springs to the web base. Instead the springs are permanently fastened with sturdy steel clips.

Easy to use instructions

Fill magazine with 2 strips of fasteners, hold tools upright, place nozzle over spring, press down so that prongs of the fastener pierce the webbing, then squeeze lever and fastening is finished.

Overall length (inches)	Width (inches)	Weight (lbs.)	UPC No.
27	2	3-3/4	14650


KLINCH-IT FASTENERS



Osborne No. 7200

Klinch-it fasteners to be used with our No. 720 Klinch-it tool. Made of high quality steel. Perfect fasteners for furniture use. Packed 5000 per box. Weight per box is of 5000 is 8 1/2 lbs. UPC No. 14652.

WIRE FORMER



Osborne No. 1963

A tough tool that makes difficult repairs easy. You can quickly bend the ends of no sags, edge wire and form springs right on the spot, making offsets where you need them.

Can be readily mounted in a vise for duplicating complex repetitive wire bends. Designed with heat-hardened steel to give long life.

Overall length (inches)	Width (inches)	Weight (oz)	UPC No.
21	2-3/4	12	14651

SPRING AND WIRE CONNECTORS




Osborne No. 1776

For furniture and auto seat springs. Fixes broken seat springs and edge wires in minutes. Uses Allen hollow-head set screws in heavy tubing for maximum grip.

Carded for display purposes. Each set includes: 4 straight connectors, one 90 degrees connector and one 45 degrees connector plus Allen key. UPC No. 14612. Also sold separately. Please specify size or set when ordering.

Osborne No.	Length (inches)	Width (inches)	Weight (oz)	UPC No.
1776	SET	3/8	3	14612
1776-S	2	3/8	1	14617
1776-45	2	3/8	1	14613
1776-90	2	3/8	1	14615

STRAIGHT RIGID METAL TACK STRIP




Osborne No. 4502

Used on outside backs to achieve a finished edge and eliminate hand sewing. These strips are most commonly used in a vertical position and on an outside back. Sold in boxes of 100 strips per box. Galvanized finished

Overall length (inches)	Width (inches)	Nail size (inches)	Weight / box (lbs.)	UPC No.
27	1/2	5/32 x 1/2	13	78332

FLEXIBLE METAL TACK STRIP



Osborne No. 4602

A continuous metal strip used for fastening fabric on curved or straight areas. This eliminates the need for hand sewing. Most commonly used on curved arms, outside wings, and arched backs. 3 tooth pattern for extra gripping. 100 feet per roll. Galvanized finish. Available in 3 types: light, medium and heavy. Packed and sold 5 rolls per box.

Osborne No.	Type	Pattern	Weight / box (lbs.)	Feet per roll	UPC No.
4602-L	Light	3 teeth	2 1/2	100	78324
4602-M	Medium	3 teeth	3	100	78326
4602-H	Heavy	3 teeth	3 1/2	100	78328

CARBOARD TACK STRIP



Osborne No. 4702-214

Used to attach fabric in a straight line. It gives a finished look and can be used on front boxing, outside arms, and outside backs. Sold by rolls of 214 yards.

Overall length (yards)	Width (inches)	Weight (lbs.)	UPC No.
214	1/2	3	78322

STARTER UPHOLSTERY KIT



Osborne No. HB-1

A basic home upholstery kit to repair or rebuild a chair or sofa. Excellent for students and hobbyists. Professional packaging pictures all tools. Box is designed for hang up display. Weighs 1-1/2 lbs. UPC No. 14070.

EACH KIT CONTAINS			
Quantity each	Osborne No.	Description	UPC No.
1	1011	Magnetic Hammer	56014
1	255	Webbing Stretcher	64268
1	201	Tack Claw	64224
1	501-1/2 3	Curved Needle	15136
1	501-1/2 6	Curved Needle	15144
1	504-10	Straight Needle	15370
36	190 3	Upholstery Pins	15932
1	B-1 Book	Instruction Booklet	14044

DO IT YOURSELF KIT




Osborne No. B-4

The perfect kit for upholstery work. Includes easy to follow instruction booklet. Professionally packaged for hang up display and pictures all tools in kit. Weighs 1-1/2 lbs. UPC No. 14050.

EACH KIT CONTAINS			
Quantity each	Osborne No.	Description	UPC No.
1	1011	Tack Hammer	56014
1	255	Webbing Stretcher	64268
1	146	Claw Tool	64216
1	504-6	Straight Needle 6"	15366
1	501-1/2 3	Curved Uph. Needle 3"	15136
1	501-1/2 4	Curved. Uph. Needle 4"	15140
1	B-1 Book	Instruction Booklet	14044

INSTRUCTION BOOKLET & YARDAGE CHART



Osborne No. B-1 BOOK

Our 16 page Upholstery Kit Instruction booklet for reinforcing & rebuilding furniture in your home. Inside cover pages depict yardage chart. UPC No. 14044.

Yardage Chart Poster

A FREE 32" x 27" Yardage Chart Poster is also available.

INTERMEDIATE UPHOLSTERY KIT



Osborne No. B-11

This kit contains the basic tools and needles required for reupholstery work, but in it, we have eliminated a few of the more expensive professional items in order to bring the cost down to a more popular level for use by schools or other institutions. It serves as an intermediate kit between our popular B-1 Upholstery Kit and the B-7 Pro Upholstery Kit. Professional box cover pictures all tools in kit. Weighs 2-1/2 lbs. UPC No. 14062.

EACH KIT CONTAINS			
Quantity each	Osborne No.	Description	UPC No.
1	1011	Tack Hammer	56014
1	253	Gooseneck Webbing Stretcher	64266
1	120 1/2	Staple Lifter	64006
1	402	Ripping Chisel	53212
1	76 1/2	Square Point Knife	60046
1	520-8	Regulator	66064
1	501-1/2 3	Curved Needle	15136
1	501-1/2 4	Curved Needle	15140
1	501-1/2 6	Curved Needle	15144
1	502-1/2 4	Curved Needle	15270
1	504-8	Straight Needle	15368
1	684 10	10" Shears	14430
36	190 3	3" Upholstery Pins	15932
1	88-WH	Taylor Chalk - White	65134
1	B-1	Instruction Booklet	14044

PRO UPHOLSTERY KIT



Osborne No. B-7

This all-inclusive kit fills the needs of the journey man upholsterer, the trainee and the ambitious amateur. Contains twelve items of top quality C.S. Osborne tools, needles and our instruction booklet. Professionally boxed. Box cover pictures all tools. Weighs 5 lbs. UPC No. 14056.

EACH KIT CONTAINS			
Quantity each	Osborne No.	Description	UPC No.
1	33	Bronze Magnetic Hammer	56042
1	253	Gooseneck Webbing Stretcher	64266
1	120 1/2	Staple Lifter	64006
1	402	Ripping Chisel	53212
1	76 1/2	Square Point Knife	60046
1	396-2	White Rubber Mallet	61018
1	306-1/2 8	Light Regulator 8" 9 Gauge	16034
1	K-3	Needle Card	15014
1	K-5	Needle Card	15018
1	684 10	10" Shears	14430
36	190 3	3" Upholstery Pins	15932
1	88-WH	Taylor Chalk - White	65134
1	B-1	Instruction Booklet	14044

RIPPING CHISEL

Osborne No. 402

A translucent amber handle for quick identification. Perfect balance. Forged steel blade with correct angle on chisel edge. Shouldered tang, tough construction.



Overall length (inches)	Blade length (inch)	Width of edge (inches)	Weight ea (oz)	UPC No.
8	3-5/8	1/2	5	64226

BENT RIPPING CHISEL

Osborne No. 761W 1/2

Forged steel blade. Hardwood handle with reinforced striking end bent at the correct angle. Nickel plated.



Blade length (inch)	Overall length (inches)	Weight ea (oz)	UPC No.
5	9-3/4	6	64767

BENT RIPPING CHISEL

Osborne No. 761PH 1/2

Similar to 761W 1/2 with durable cellulose acetate handle ideal for stronger work. Nickel plated.



Blade length (inch)	Overall length (inches)	Weight ea (oz)	UPC No.
4-3/4	9-1/4	6	64776

BENT RIPPING CHISEL - with Claw

Osborne No. 761W 3/4

Similar to our 761W 1/2 but with claw in blade. Nickel plated.



Blade length (inch)	Overall length (inches)	Weight ea (oz)	UPC No.
5	9-3/4	6	64768



STRAIGHT RIPPING CHISEL

Osborne No. 762 P

Straight ripping chisel. Forged steel blade. Nickel plated with strong cellulose acetate handle for long lasting.



Blade length (inch)	Overall length (inches)	Weight ea. (oz)	UPC No.
5	9-1/8	5	64782

COMBINATION TOOL

Osborne No. 402 1/2

A beautifully finished tool with a translucent amber handle designed to fit the hand with perfect balance. Forged highly polished steel blade. Shouldered tang to prevent driving into handle. Combined ripping tool and tack puller.



Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3-3/4	8-1/4	6	53216

BENT RIPPING CHISEL

Osborne No. 339

Rugged tool. Carefully hardened.



Cutting edge (inches)	Stock (inches)	Length (inches)	Weight each (lbs) (oz)	UPC No.
1 5/8	7/8	18	2 6	53182

MOULDING LIFTER


Osborne No. 262

Forged from high quality hexagon tool steel. Hardened and tempered. Individually boxed.



Length (inches)	Stock (inches)	Weight ea (oz)	UPC No.
10 1/2	1/2	14	14292

ZIPPER STOPS PLIER



Osborne No. 1012

Made of high quality forged steel. Vinyl handles for easy gripping. Spring loaded. Designed to install any kind of top stops on zipper chain. Unique jaw design.

Overall length (inches)	Weight each (oz.)	UPC No.
7 1/4	9	64508

STAINLESS STEEL ZIPPER STOPS



Osborne No. 1013

Made of stainless steel. Size number 10. Packed and sold in bags of 100 pcs. These are the top stops for the zipper chain and can be set using our zipper stop plier Osborne No. 1012.

Quantity / bag (pcs.)	Weight / bag (oz.)	UPC No.
100	1	64500

ZIPPER JIG




Osborne No. 1014

- * Holds YKK[®] zippers sliders from sizes # 2.5 to 10.
- * Lower clamp securely holds zipper jig to your counter.
- * Upper clamp is used for locking jig rod in any direction.
- * Also allows you to put zipper on backwards.
- * Fully nickel plated.
- * Instructions are included.



Height (inches)	Weight each (oz.)	UPC No.
7	10	64506

PATTERN AND CABINET MAKERS STEEL PINCH DOGS



Osborne No. 89

Made from the finest quality high carbon steel. Hardened and tempered for the long duration. Square corners over edges make easy driving. Different sizes available.

Size No.	Length (inches)	Weight ea. (oz.)	UPC No.
3/4	3/4	1	64132
1	1	1	64134
1 1/4	1 1/4	1	64136
1 1/2	1 1/2	1	64138
2	2	1	64140

Size No.	Length (inches)	Weight ea. (oz.)	UPC No.
2 1/2	2 1/2	2	64142
2 3/4	2 3/4	2	64144
3	3	2	64146
3 1/2	3 1/2	2	64148

PINCH DOG KIT



Osborne No. K-89

A hang up display card composed of the most popular sizes.


Sizes in the card			Weight / card (oz.)	UPC No.
1 1/2	2	3	4	64150

STAINLESS STEEL PINCH DOG



Hammer head

Pattern #
Des. 247,896



Osborne No. 89SS 1-3/4

Designed with HAMMER HEAD. It is **reusable** by upholsterers, cabinet makers and pattern makers as an all-purpose fastener for gluing clamps, column assembly, clamping and jiggling.

Overall length (inches)	Thickness (inches)	Weight each (oz.)	UPC No.
1 3/4	1/8	3	64852

GLUE STICKS



Osborne No. 2000

Hot melt adhesive for use with glue gun. 12 sticks per bag.

Overall length (inches)	Diameter (inches)	Weight each (oz.)	UPC No.
10	7/16	4	64636

GLUE STICKS - BULK PACK



Osborne No. 2003

Packed 22 lbs. per box. Approximate 375 glue sticks.

Box dimensions (inches)	Weight / box (lbs.)	UPC No.
22 x 11 x 4	22	64638

CLAY BASED MARKING CHALKS



Box contains:

- * 8 White chalks.
- * 2 Yellow chalks.
- * 1 Red chalk.
- * 1 Blue chalk.

Osborne No. 88

Clay based and much easier to erase. Other chalks that are not clay based will leave a grease on cottons and other fabrics. Also works on glass and vinyl that where chalks don't work. Due to the shape of this chalk a sharp marking edge is maintained. UPC No. 64336.

Osborne No. 85

Same as above but contains 12 WHITE chalks. UPC No. 14006.



WOOD RULER

Osborne No. 160

Made from properly dried northern hard maple with brass ends to meet all state measuring standards codes. Smooth finish in clear lacquer. Has 1/8" calibrations. Hole punched on both ends for hanging display. Two lengths available.



Osborne No.	Length (inches)	Width (inches)	Thickness (inches)	Weight ea. (oz.)	UPC No.
160-5C	60	1 3/4	1/4	12	64086
160-6C	72	1 3/4	1/4	18	64088

ALUMINUM STRAIGHT EDGE RULER

Osborne No. 802

One edge for standard measurements, one edge for metric. Sturdy and wide. Scales etched in black on silver background, one side only. Finish anodized for performance. Three lengths available. Hole punched on one end for hanging.



Osborne No.	Length (inches)	Width (inches)	Thickness (inches)	Weight ea. (oz.)	UPC No.
802-36	36	1 1/2	1/8	9	64094
802-54	54	1 1/2	1/8	13	64096
802-60	60	1 1/2	1/8	15	64098

ALUMINUM RULER (inches & metric)

Osborne No. 161

Made of anodized aluminum. One side shows graduation in inches along both edges with measurements also from center of rule. When turned over, the opposite side of the rule has graduations in metric along one side. Hole on one end for hanging.



Length (inches)	Width (inches)	Thickness (inches)	Weight ea. (oz.)	UPC No.
60	1 1/2	1/8	8	64092


ALUMINUM STRAIGHT EDGE RULER

Osborne No. 60SE

Markings on one side only. Heavy wide aluminum. Hole punched on one end for hanging.



Length (inches)	Width (inches)	Thickness (inches)	Weight ea. (oz.)	UPC No.
60	2	1/8	26	64082



Button Chart - Actual sizes.


What is Required to Cover Buttons?

- 1.- A Button Covering Hand Press Machine.
- 2.- Steel Cutters and Covering Dies. A separate set of dies is required to make each size of button for each type of material. Always used the correct die for your material.
- 3.- Buttons Molds . Consists of a shell and a back. The shell is covered and crimped around the back by the die.

CHART OF BUTTON SIZES

The standard measurement for buttons is 40 lignes per inch. Therefore size 30 is 3/4", size 60 is 1-1/2", etc. Dimensions shown are for buttons before covering.

No. 1 HAND BUTTON COVERING MACHINE



Osborne No. W-1

High quality hand machine. Cuts fabric and covers buttons. Works with **2** piece die and short cutters. The W-1 Button machine has a reinforced frame and handle. Bolts to a table for added stability. Comes complete with a nylon block for cutting covers. It produces 80 to 120 buttons per hour.


This machine also sets GROMMETS (plain and spurs), SNAPS & VENTILATORS with appropriate dies. Nylon block can be also be purchased separately. Minimum throat 1" and maximum 2". Spare parts are also sold separately.

Osborne No.	Height (inches)	Weight each (lbs)	UPC No.
W-1	25	19	75000

REPLACEMENT PARTS

Osborne No.	Description	UPC No.
W-1H	Handle	75008
W-1P	Pin	75012
W-1PL	Plate	75014
W-1 SPRING	Top spring	75002
W-1W	Nylon block	75004

No. 2 HAND BUTTON COVERING MACHINE



Osborne No. W-2


Works with **3** piece Swivel Die and long cutters for fast production. Heavy ribbed construction. Long handle provides leverage and allows operator to work at higher speed. This machine can produce 180-250 buttons per hour. Replacement parts are also available.

Osborne No.	Height (inches)	Weight ea (lbs)	UPC No.
W-2	23	22	75016

EXTRA PARTS

Osborne No.	Description	UPC No.
W-2 Spring	Top spring for Machine	75020
W-2H	Handle for Machine	75018

No. 3 PNEUMATIC BUTTON MACHINE




Osborne No. W-3

Works with 2 piece button die and also cuts the material with a short cutter. Operates with 60 to 120 lbs. of compressed air. Foot pedal included. Clear plastic safety guard locks the machine. Easy to assemble and mount to bench or work station. This machine also sets plain or spur grommets, ventilators, rapid rivets and snaps with appropriate dies. Full instructions provided.

Osborne No.	Height (inches)	Weight each (lbs)	UPC No.
W-3	23	47	75010

No. 4 PNEUMATIC BUTTON MACHINE



Osborne No. W-4

Works with 3 piece Swivel die to increase your production. Operates with 60 to 120 lbs. of compressed air. Foot pedal included. Clear plastic safety guard locks the machine. Easy to assemble and mount to bench or work station. Full instructions provided.

Osborne No.	Height (inches)	Weight each (lbs)	UPC No.
W-4	23	47	75006

BUTTON COVERING (INSTRUCTIONS)



1.- Place material on the nylon block. Lay cutter on material. Pull on handle to cut button covers. Fold or stack material to cut more pieces at one time.



2.- Turn top of the two piece die. Place the cut material on the die, then center the shell on top of the material as shown.



3.- Holding the die use the wood dowel to push in the shell.



4.-Lay wire eye on the bottom die with the loop facing down.



5.- Place the two piece die together on the machine. Lock in the bottom piece die with the Allen wrench provided.



6.- Firmly pull on handle to cover the button.



7.- A secure covered button.

BUTTON DIES TYPES

All dies are CNC precision machined, nickel plated and made of high quality steel. Cutters are heat treated and have sharp edges engineered for accurate cutting and long life.

MATERIAL THICKNESS. Always buy a set of dies made exactly for your material thickness. If you have a variety of material thickness, you will need more than one set of dies. Trying to cover very thin and very thick material with the same set of dies will result in poor quality buttons. If you are not sure what dies to buy, send us a sample of your material and we will assist you in the proper selection.

TO SELECT THE PROPER DIE USE THIS TABLE

Description	Designation
Light material	LU
Regular material	HU
Heavy material	HUX

BUTTON DIES & SHORT CUTTER FOR W-1 & W-3

Consists of 2 pieces dies & one Short cutter. Set also includes a wooden dowel used to push the material into the die. Please specify the type of material that you are working with: HU, HUX or LU.

Following are the part numbers for "HU" material.



2 PCS. DIE " HU " AND SHORT CUTTER FOR W-1 AND W-3						
Osborne No.	WDIHUC162	WDIHUC182	WDIHUC202	WDIHUC222	WDIHUC242	WDIHUC282
Size	16	18	20	22	24	28
Button diameter (inches)	3/8	7/16	1/2	9/16	5/8	11/16
UPC No.	75808	75810	75812	75948	75956	75958
2 PCS. DIE " HU " AND SHORT CUTTER FOR W-2 AND W-4						
Osborne No.	WDIHUC302	WDIHUC362	WDIHUC402	WDIHUC452	WDIHUC502	WDIHUC602
Size	30	36	40	45	50	60
Button diameter (inches)	3/4	7/8	1	1-1/8	1-1/4	1-1/2
UPC No.	75964	75972	75980	75988	75996	76004

DIES & CUTTERS ARE ALSO SOLD SEPARATELY

BUTTON DIES & SHORT CUTTER FOR W-2 & W-4

Consists of 3 piece Swivel dies & one Long cutter. Please specify the type of material that you are working with: HU, HUX or LU. Following are the part numbers for "HU" material.



3 PCS. DIES " HU " AND LONG CUTTER FOR W-2 AND W-4				
Osborne No.	WDIHUC223	WDIHUC243	WDIHUC303	WDIHUC363
Size	22	24	30	36
Button diameter (inches)	9/16	5/8	3/4	7/8
UPC No.	75952	75960	75968	75976
3 PCS. DIES " HU " AND LONG CUTTER FOR W-2 AND W-4				
Osborne No.	WDIHUC403	WDIHUC453	WDIHUC503	WDIHUC603
Size	40	45	50	60
Button diameter (inches)	1	1-1/8	1-1/4	1-1/2
UPC No.	75984	75992	76000	76008


DIES & CUTTERS ARE ALSO SOLD SEPARATELY



COMBINATIONS or COMBOS

The COMPLETE BUTTON consists of one SHELL and any kind and type of back like WIRE EYE, etc. When you are ordering make sure you state whether you want the complete button or just one part of it. The complete button number starts with WCM then the size of the button, then the letter of the backs (like WE for wire eye or ND for no dent nail, etc.), then the type of shell (like SS for soft shell, RR for Rust Resistant, etc.) and finally the quantity pack (1GR for one gross box or 5GR for 5 gross box).

- WCM= COMBO
- WE= WIRE EYE
- PR=PRONG
- TN=THREADED NAIL
- ND=NO DENT NAIL
- PSR=PLASTIC SNAP RING
- AS=ALUMINUM SHELL
- SS=SOFT SHELL
- RR=RUST RESISTENT
- SH=SUPER HOOK
- CW=CARBOARD WAD
- CO=COLLET
- PB=PIVOT BACK
- PT=PIVOT TACK
- 1GR=ONE GROSS BOX
- 5GR=FIVE GROSS BOX
- 25GR=TWENTY FIVE GROSSBOX
- 50GR=FIFTY GROSS BOX



STYLE 44 WIRE EYE WITH SOFT SHELL 5 GROSS BOX				(ALSO AVAILABLE IN 1 GROSS BOX)		
Osborne No.	WCM1644WESS5GR	WCM1844WESS5GR	WCM2044WESS5GR	WCM2244WESS5GR	WCM2444WESS5GR	WCM2844WESS5GR
Size	16	18	20	22	24	28
UPC No.	73196	73204	73212	75120	75200	74218
Osborne No.	WCM3044WESS5GR	WCM3644WESS5GR	WCM4044WESS5GR	WCM4544WESS5GR	WCM5044WESS5GR	WCM6044WESS5GR
Size	30	36	40	45	50	60
UPC No.	75344	75464	75540	75592	75636	75672

WIRE EYE STYLE # 44 WITH SOFT SHELLS




WIRE EYE STYLE # 9 WITH SOFT SHELLS

STYLE 9 WIRE EYE WITH SOFT SHELL 5 GROSS BOX				(ALSO AVAILABLE IN 1 GROSS BOX)
Osborne No.	WCM229WESS5GR	WCM249WESS5GR	WCM309WESS5GR	WCM369WESS5GR
Size	22	24	30	36
UPC No.	75156	75216	75368	75488
Osborne No.	WCM409WESS5GR	WCM459WESS5GR	WCM509WESS5GR	WCM609WESS5GR
Size	40	45	50	60
UPC No.	75560	75612	75652	75688



WIRE EYES

Also known as BUTTON BACKS. There are 2 styles available: No. 9 and No. 44. **Wire Eye No. 9** Standard has a larger eye. **Wire Eye No. 44** has a smaller eye and is intended to be used against delicate material to minimize piercing and runs.




STYLE # 9

Strong wire eye. LARGE LOOP.
Large opening for ease of threading tufting twine.

Uniform Dimensions.
Smooth edges help avoid cutting even the most difficult materials.

Perfectly rounded loop won't fray twine.



STYLE # 44

"U" shape SMALLER loop.
Specially designed to prevent fabric damage and pull through in delicate materials.

STYLE No. 9 WIRE EYE BUTTON BACK ONLY 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 & 50 GROSS)								
Osborne No.	WWE229-5	WWE249-5	WWE309-5	WWE369-5	WWE409-5	WWE459-5	WWE509-5	WWE609-5
Button Size	22	24	30	36	40	45	50	60
UPC No.	77033	78064	78096	78124	78156	78188	78220	78254

STYLE No. 44 WIRE EYE BACK ONLY 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 & 50 GROSS)						
Osborne No.	WWE1644-5	WWE1844-5	WWE2044-5	WWE2244-5	WWE2444-5	WWE2844-5
Button Size	16	18	20	22	24	28
UPC No.	76524	76534	76544	78016	78048	78054
Osborne No.	WWE3044-5	WWE3644-5	WWE4044-5	WWE4544-5	WWE5044-5	WWE6044-5
Button Size	30	36	40	45	50	60
UPC No.	78080	78108	78140	78172	78204	78236

SHELLS

High quality Shells which are the top part of button. We offer 3 kinds of shells: SOFT Shells, ALUMINUM Shells and RUST RESISTANT shells. Soft Shells are the most popular since they prevent tearing of the materials. Rust Resistant Shells minimize rusting problems and the resultant damage to the upholstery. Shells are sold in: 1, 5, 25 and 50 gross boxes. The most popular quantity is 5 gross box. Please specify when ordering; if not we will ship boxes of 5 gross.



Soft shell



Aluminum shell



Rust resistant shell

SOFT SHELL. 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 OR 50 GROSS BOX)												
Osborne No.	WSHS16-5	WSHS18-5	WSHS20-5	WSHS22-5	WSHS24-5	WSHS28-5	WSHS30-5	WSHS36-5	WSHS40-5	WSHS45-5	WSHS50-5	WSHS60-5
Size	16	18	20	22	24	28	30	36	40	45	50	60
UPC No.	76462	76472	76482	77620	77636	77642	77652	77668	77684	77700	77716	77732

ALUMINUM SHELL. 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 OR 50 GROSS BOX)						
Osborne No.	WSHA22-5	WSHA24-5	WSHA30-5	WSHA36-5	WSHA40-5	WSHA45-5
Size	22	24	30	36	40	45
UPC No.	77284	74724	77300	77316	77332	77348

RUST RESISTANT SHELL. 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 OR 50 GROSS BOX)											
Osborne No.	WSHRR16-5	WSHRR18-5	WSHRR20-5	WSHRR22-5	WSHRR24-5	WSHRR30-5	WSHRR36-5	WSHRR40-5	WSHRR45-5	WSHRR50-5	WSHRR60-5
Size	16	18	20	22	24	30	36	40	45	50	60
UPC No.	76414	76426	76438	77492	77508	77524	77540	77556	77572	77588	77604




PRONGS (Clinch Buttons)

Great for high speed production. Used on headboards, bars, restaurant booths and wide range of furniture styles. Very effective for pre-tufting of covers before attachment to the furniture frame.

Round edge helps prevent holes from enlarging after application.

Wire is precision tempered. Just the right hardness to keep prongs from pulling out, yet easy for your installer to bend.

Leg is longer for ease of bending.



Staked edges are rounded to prevent material from tearing.

Prong wire is solidly staked to collet for safety and ease of installation.

PRONGS FIVE GROSS BOX (ALSO AVAILABLE IN 1, 25 AND 50 GROSS BOX).									
Osborne No.	WPR22112-5	WPR222-5	WPR22212-5	WPR242-5	WPR24212-5	WPR30112-5	WPR302-5	WPR30212-5	WPR303-5
Size	22			24		30			
Lenght (inches)	1 1/2	2	2 1/2	2	2 1/2	1 1/2	2	2 1/2	3
UPC No.	76888	76904	76920	76936	76952	76968	76984	77000	77016
Osborne No.	WPR36112-5	WPR362-5	WPR36212-5	WPR40112-5	WPR402-5	WPR452-5			
Size	36			40		45			
Lenght (inches)	1 1/2	2	2 1/2	1 1/2	2	2			
UPC No.	77032	77048	77064	77080	77092	77104			

PRONG WASHERS

Use for extra safety in preventing prongs from pulling out. Available in metal and fibre material. 3 sizes.




Metal 1" No. 1 Washer
Low cost. Beveled for additional strength.



Metal 1 3/8" No. 3 Washer
Extra wide, more holding area.



Metal 15/16 No. 15 Spring Washer.
Made of precision tempered spring steel. Prong is forced through opening and locked by spring action.



Fibre 1 3/8" No. 5 Washer
Fibre Washer is strong and completely squeak proof.



Prong with metal washer

PRONG WASHERS 5 GROSS BOX (Also available in 1, 25 & 50 gross box)				
Osborne No.	WWAM1-5	WWAM138-5	WWAF138-5	WWASP15-5
Description	Metal Washer # 1	Metal Washer # 3	Fibre Washer # 5	Spring Washer # 15
Diameter	1"	1-3/8"	1-3/8"	15/16"
UPC No.	77948	77964	77932	78002



Prong with fibre washer



SPRING METAL WASHER



Osborne No. WWAS10

Also known as Spring Lock Washer. Locks and secures the threaded nails when these are inserted into the upholstered construction. Perfect for working near edges or corners. Packed and sold in 1, 5, 25 or 50 gross boxes.

Osborne No.	Length (inches)	Width (inches)	UPC No.
WWAS10-5	5/16	7/8	77988

THREADED NAILS (For use with Spring Washer)

Nail is rigidly welded to collet.



Deep threads are designed so spring washer slides on easy, yet can't pull off.

When anchored with a spring lock washer, the Threaded Nail is a fast, positive, alternative to prong tufting. Just insert the nail through the upholstered construction and fasten in on the back with a spring washer.



Threaded nail & Spring washer

THREADED NAILS 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 & 50 GROSS BOX).

Osborne No.	WTN2278-5	WTN22112-5	WTN222-5	WTN2478-5	WTN3078-5	WTN30112-5	WTN302-5	WTN3634-5	WTN3678-5	WTN36112-5	WTN362-5
Size	22			24	30			36			
Length (inches)	7/8	1-1/2	2	7/8	7/8	1-1/2	2	3/4	7/8	1-1/2	2
UPC No.	77788	77756	77772	74730	77844	77812	77828	77892	77908	77860	77876

NO DENT ASSEMBLED NAIL (For driving into wood)

Corrugations on nail grip wood.

Hardened steel



No dent collect. Nail is securely welded to collet.

Hardened and tempered steel nail. For driving into wood. Buttons are driven through fabric and foam directly into frame. Small corrugations allow for easy driving, help prevent buttons from pulling out.

NO DENT NAILS 5 GROSS BOX (ALSO AVAILABLE IN 1, 25 AND 50 GROSS BOX).

Osborne No.	WND2234-5	WND2278-5	WND221-5	WND3034-5	WND301-5	WND30114-5	WND30112-5	WND3634-5	WND361-5	WND36114-5	WND451-5	WND6034-5
Size	22			30			36			45	60	
Length (inches)	3/4	7/8	1	3/4	1	1-1/4	1-1/2	3/4	1	1-1/4	1	3/4
UPC No.	76672	76688	74677	76752	76704	76736	76720	76792	74682	74688	76808	76378

CONCAVE NAIL BUTTON DRIVING TOOL



Osborne No. 915

Used to hammer the nail button into the upholstered construction. Concave head to prevent the nail button from being damaged when hammered.

Length (inches)	Head diameter (inches)	Weight (oz)	UPC No.
4 1/4	1	77988	76350



**UNASSEMBLED NYLON SNAPS
(Nylon Snap Rings)**



Also called Plastic Snaps Rings. Ideal for use on furniture, recreational vehicles, manufactured housing, etc. This nylon back is specially designed to snap onto a Durable Wood Screw or Durable Snap when covered. This provides a secured hold with little chance of rust or discoloration. 2 sizes available. **Sold with and without shells.**

UNASSEMBLED SNAPS - 5 GROSS BOX		
Osborne No.	WPSR30-5	WPSR30-5
Size	30	36
UPC No.	76868	74712

Also available in 1, 25 or 50 gr. boxes.

PLASTIC DOMED BUTTONS



Ready to use button. Available only in button size No. 40. Made of Nylon, one piece construction. Available in: dark brown, beige and white. Super hook designed.

PLASTIC DOMED BUTTONS 5 GR. BOX			
Osborne No.	WPDBB-5	WPLDB-5	WPLDBW-5
Color	Beige	Dark brown	White
UPC No.	76836	76848	76860

Also available in 1, 25 or 50 gr. boxes.

DOUBLE BUTTONS OR JOINED PIVOTS

When a design calls for buttons on both sides of a pillow or cushion, chair backs, etc. use our Joined Pivots. It is composed of two parts: the female part which is the Single Pivot back and the male part which is the Pivot tack back.


Available in the following sizes: 22, 24, 30, 36, 40, 45, and 60. The female half is assembled with a retaining pivot spring steel lock washer which mates with the serrated pivot tack of the male half. Although easily snapped together by hand pressure, the buttons hold tight. It won't come apart.

Set consist of:

- 1 Gross of Pivot Back
- 1 Gross of Pivot Tack
- 2 Gross of Shells

Tack lengths available:
3/8", 1/2", 3/4" and 1.

Specify your preference when ordering.



Osborne No.	WCM2212PBPTSSET						
Button size	22	24	30	36	40	45	60
Length	1/2	1/2	1/2	1/2	1/2	1/2	1/2
UPC No.	73214	74161	73234	73246	73256	73264	73276

Individual components are also sold separately



NYLON SUPER HOOK

Applicable on : reversible cushions, nonreversible cushions, tight seats, chair backs, bolsters, hassocks, etc. Fast installation, low cost, perfect tufting depth every time. Knots won't come untied due to operator fatigue.

1. BUTTON SITS FLAT

Tapered shank allows button to sit flat.

2. INSTALLS FASTER


Exclusive slope design guides loop into hook with one pass. Cuts production time, cuts costs.

3. WON'T RIDE UP

Curved double snubbers keep loop from riding up into lock channels.

4. NO FRAYING

Smooth edges will not fray twine.



5. EXTRA HOLDING POWER

Ribbed nylon exerts additional pressure to hold finished buttons together.

6. IT'S STRONGER

Extra high impact nylon, solid one-piece, for added strength.

7. HOLDS TIGHTER

Grooved rim helps hold material and shell tight to the collet. Great for vinyl. Puts the stop on pop-offs.

8. WON'T WORK LOOSE

Double lock channels further restrict loop from ever ridding up.



NYLON SUPER HOOK 5 GROSS BOX.				
Osborne No.	WPSH22-5	WPSH30-5	WPSH36-5	WPSH45-5
Button size	22	30	36	45
UPC No.	77116	77128	77144	77156



Also available in 1, 25 or 50 gross box.

NYLON POLY WASHER FOR SUPER HOOK




Ideal washer for super hook buttons. It has one inch diameter. Great holding power. Available in 1, 25 and 50 gross box.

POLY WASHER FOR SUPERHOOK		
Osborne No.	WWAP138-1	WWAP138-5
Diameter	1-3/8	1-3/8
UPC No.	74747	74748

Also available in 25 & 50 gr. boxes.

UNASSEMBLED NAIL



ADVANTAGES: Costs, less than a pre-assembled nail. You supply the nail or tack of your choice.

COVERING OPERATION: Collet (button back) is placed in die. Nail (or tack) is inserted through hole in collect. Cardboard Wad is place on top of the nail. Covering is then completed in the usual manner. Sold as combination (shells, carboard wad and collect) or individually.

UNASSEMBLED NAIL COMBINATION 5 GROSS BOX			
Osborne No.	WCM22COCWSS5GR	WCM30COCWSS5GR	WCM36COCWSS5GR
Button size	22	30	36
UPC No.	73226	73090	73226
Osborne No.	WCM40COCWSS5GR	WCM45COCWSS5GR	
Button size	40	45	
UPC No.	73166	73180	

INDIVIDUAL COMPONENTS ARE ALSO SOLD SEPARATELY



COMBOS

PRONG WITH SOFT SHELL 5 GROSS BOX. (ALSO AVAILABLE IN 1 GROSS BOX)

Osborne No.	WCM22112PRSS5GR	WCM222PRSS5GR	WCM22212PRSS5GR	WCM242PRSS5GR	WCM24212PRSS5GR
Size & length	22 1-1/2"	22 2"	22 2-1/2"	24 2"	24 2-1/2"
UPC No.	75036	75084	75064	75180	75168
Osborne No.	WCM30112PRSS5GR	WCM302PRSS5GR	WCM30212PRSS5GR	WCM303PRSS5GR	WCM36112PRSS5GR
Size & length	30 1-1/2"	30 2"	30 2-1/2"	30 3"	36 1-1/2"
UPC No.	75240	75292	75272	75328	75404
Osborne No.	WCM362PRSS5GR	WCM36212PRSS5GR	WCM40112PRSS5GR	WCM402PRSS5GR	WCM452PRSS5GR
Size & length	36 2"	36 2-1/2"	40 1-1/2"	40 2"	45 2"
UPC No.	75428	75420	75512	75520	75572



THREADED NAIL WITH SOFT SHELL 5 GROSS BOX. (ALSO AVAILABLE IN 1 GROSS BOX)

Osborne No.	WCM2278TNSS5GR	WCM22212TNSS5GR	WCM222TNSS5GR	WCM2478TNSS5GR	WCM3078TNSS5GR
Size & length	22 7/8"	22 2-1/2"	22 2"	24 7/8"	30 7/8"
UPC No.	75140	75048	75092	74034	75352
Osborne No.	WCM30112TNSS5GR	WCM302TNSS5GR	WCM3678TNSS5GR	WCM36112TNSS5GR	WCM362TNSS5GR
Size & length	30 1-1/2"	30 2"	36 7/8"	36 1-1/2"	36 2"
UPC No.	75252	75308	75472	75412	75440



NO DENT NAIL WITH SOFT SHELL 5 GROSS BOX. (ALSO AVAILABLE IN 1 GROSS BOX)

Osborne No.	WCM2234NDSS5GR	WCM2278NDSS5GR	WCM221NDSS5GR	WCM3034NDSS5GR	WCM301NDSS5GR
Size & length	22 3/4"	22 7/8"	22 1"	30 3/4"	30 1"
UPC No.	75104	75132	74010	75320	75256
Osborne No.	WCM30114NDSS5GR	WCM30112NDSS5GR	WCM3634NDSS5GR	WCM361NDSS5GR	WCM451NDSS5GR
Button size	30 1-1/4"	30 1-1/2"	36 3/4"	36 1"	45 1"
UPC No.	75259	75228	75448	74074	74100



NYLON SUPER HOOK WITH SOFT SHELLS 5 GR. BOX (ALSO AVAILABLE IN 1 GROSS BOX)

Osborne No.	WCM22SHSS5GR	WCM30SHSS5GR	WCM36SHSS5GR	WCM45SHSS5GR
Button size	22	30	36	45
UPC No.	75160	75396	75504	75616




NYLON SNAP RINGS SOFT SHELLS 5 GR. BOX (ALSO AVAILABLE IN 1 GROSS BOX)

Osborne No.	WCM30PSRSS5GR	WCM36PSRSS5GR
Button size	30	36
UPC No.	75392	75496



COMBOS ALSO AVAILABLE WITH ALUMINUM SHELLS AND RUST RESISTANT. SPECIFY WHEN ORDERING

TUFTING NEEDLES & CLASPS



Osborne No. 417

THE VERY BEST. Does not catch when needle is withdrawn. After threading button, end of needle is loaded with clasp. As needle reaches maximum depth, clasp is ejected. Saves time and labor. No need to remove the outside back of piece being tufted. A splendid tool to the true craft person.

Working Process:


- 1.- At the start, assemble on the thread the corresponding quantity of clasps for the required number of stitches. Insert clasp with thread in the hollow of the needle.
- 2.- Push needle (with inserted clasps and thread) through upholstery fabric, press head of needle. Clasp with thread will be ejected.
- 3.- Pull needle out and tighten thread, clasp will be anchored inside.

Needles are carded with instructions indeded.

Osborne No. 417-L

Same as our popular Osborne No. 417 but 18 inches in length and well suited for mattresses.

Osborne No.	Overall length (inches)	Weight (oz)	UPC No.
417	12	3	64386
417-L	18	5	64388





CLASPS

Osborne No. 418

High quality. These clasps are used with our Osborne No. 417 & 417-L Tufting Needles. Packed and sold in boxes of 500 pcs.

Quantity per box	Weight/box (oz)	UPC No.
500	10	14388

TUFTING NEEDLE & CLASPS



Osborne No. 613

Nickel plated. Furniture button tufter comes with two dozen clasps. Osborne quality needle. Thread twine in round hole of clasp, hook square hole on needle and push then withdraw needle. Directions included.

Overall length (inches)	Gauge	Weight (oz)	UPC No.
12	10	2	64390

Osborne No. 614

High quality steel. These clasps are used with our Osborne No. 613 Tufting Needle. Packed and sold in bags of 144 pcs.

Quantity per bag	Weight/box (oz)	UPC No.
144	3	14392



MATTRESS BUTTON TUFTER



Osborne No. 414

Nickel plated. Thread button on cord, cut to length. Push needle through mattress until cord ends come through. Pull out needle. Repeat on all buttons. Then turn over mattress and tie. 2 lengths are available.

Osborne No.	Overall length (inches)	Gauge	Weight ea. (oz)	UPC No.
414-12	12	11	1	64372
414-14	14	11	1	64374

LOOP NEEDLE



Osborne No. 615

Loop needle with a 1/2" slot to hold pre-tied loops. Also used for hand tufting with pretied nylon loops. Available in 11" and 17". Please specify length when ordering.

Osborne No.	Overall length (inches)	Slot (inches)	Weight (oz)	UPC No.
615-11	11	1/2	2	14394
615-17	11	1/2	3	14396

"T" HANDLE TUFTING TOOL




Osborne No. 408

High quality osborne tufting tool. Made of hardened steel with rubber handle. Used for pulling loops through or up.

Overall length (inches)	Weight (oz)	UPC No.
10 1/2	3	64342

PRONG BUTTON TUFTER



Osborne No. 419

The Osborne No. 419 Prong Button Tufter accepts any length of prong 22 to 45 size of button. Tool is withdrawn after piercing fabric leaving the prongs extended through the fabric. This keeps the prongs from spreading while being put through the padding.

Overall length (inches)	Weight (oz)	UPC No.
5 1/2	2	64398

Prong is inserted into hollow end of needle. Needle is pushed through construction and withdrawn, leaving prong extended.



MONOFILIMENT THREAD



Osborne No. 4705

A clear nylon thread. Blends in with fabric being sewn and is very strong. 3 sizes available.

No. 18 very light thread is for bar tacking, quilting, etc.

No. 40 is for general upholstery work, canvas, etc.

No. 52 extra heavy duty thread for heavy fabric, canvas, etc.

Pack and sold in individual canisters.

Osborne No.	Gauge	Breaking strength (lbs.)	Approximate yards per roll	Weight per canister (lbs)	UPC No.
4705-18	39	1-1/2	23,900	4	78336
4705-40	33	3-1/2	10,600	6	78340
4705-52	32	7-1/2	8,600	8	78344

NYLON TUFTING TWINE



Osborne No. 4700

Made of superior quality white nylon. This twine has high tensile strength required for holding buttons in place. Available in 1/2 or 2 lbs. rolls.

Osborne No.	Description	Gauge	Yards per tube	UPC No.
4700-T1/2	1/2 lb. tube	9	350	78308
4700-T2	2 lb. tube	9	1400	78312

UPHOLSTERER'S REGULATOR - With Eye



Osborne No. 306-1/2

High quality steel. Available in 3 thickness and variety of lengths. Packed and sold by dozen only.

Extra light			Light			Heavy		
Size No.	Gauge	UPC No.	Size No.	Gauge	UPC No.	Size No.	Gauge	UPC No.
6	10	16052	6	9	16032	6	6	16042
8	10	16054	8	9	16034	8	5	16044
10	10	16056	10	8	16036	10	5	16046
			12	7	16038	12	5	16048

UPHOLSTERER'S REGULATOR - With Plastic Handle



Osborne No. 520

High quality steel. Plastic handle. Available in 4 sizes.

Size No.	Overall length (inches)	Gauge	Weight each (oz)	UPC No.
6	6	10	1	66062
8	8	10	1	66064
10	10	10	2	66066
12	12	10	2	66068

UPHOLSTERER'S REGULATORS

No. 527



No. 528



Osborne No. 527 & 528

Extra sturdy construction to last years and years. High quality steel. Hex stock handle. The only difference is that one has a flattened round head and the other a flattened diamond head.

Osborne No.	Hex stock (inches)	Overall (inches)	Type of head	Weight (oz)	UPC No.
527	3/8	9	Round	3	66070
528	3/8	9	Diamond	3	66072

GROMMET DIES & HOLE CUTTER FOR W-1 & W-3

3 pc. set. These grommet dies work with our W-1 Hand Press or W-3 Pneumatic machines. Dies available for PLAIN or SPUR grommets from 3/16" up to 2". Sold in sets with hole cutter. Instructions enclosed.

2 PC. DIES & HOLE CUTTER FOR GROMMETS WITH PLAIN WASHERS

Osborne No.	WDIGRC00	WDIGRC0	WDIGRC1	WDIGRC2	WDIGRC3	WDIGRC4	WDIGRC5	WDIGRC6	WDIGRC12	WDIGRC15
Size	00	0	1	2	3	4	5	6	12	15
Hole (inches)	3/16	1/4	9/32	3/8	7/16	1/2	5/8	13/16	1-9/16	2
UPC No.	75850	75854	75858	75861	75869	75873	75877	75883	75881	75889



2 PC. DIES & HOLE CUTTER FOR GROMMETS WITH SPUR WASHERS

Osborne No.	WDISGRC0	WDISGRC1	WDISGRC2	WDISGRC3
Size	0	1	2	3
Hole (inches)	1/4	5/16	3/8	7/16
UPC No.	75831	75835	75837	75839
Osborne No.	WDISGRC4	WDISGRC5	WDIGRC10	
Size	4	5	10	
Hole (inches)	9/16	5/8	1-1/2	
UPC No.	75841	75843	75885	

Our Osborne No. W-1 Hand Press Machine also sets SNAPS & VENTILATORS.



SNAP DIES FOR W-1 & W-3

4 pc. set. These dies are used for setting four piece snaps size 20 (baby 1/2") or size 24 (standard 5/8"). These dies work with our W-1 Hand Press or W-3 Pneumatic machines. Full instructions enclosed.



Osborne No.	Description	UPC No.
WDISN201	4 pc. dies for standard snaps 1/2"	76278
WDISN41	4 pc. dies for standard snaps 5/8"	76284

VENTILATOR DIES & HOLE CUTTER FOR W-1 & W-3

3 pc. set. Precision machined. High quality steel. Set composed of 2 pc. die and hole cutter. Sets 3/4" or 1" vents. These dies work with our W-1 Hand Press or W-3 Pneumatic machines. Full instructions provided.

Osborne No.	Description	UPC No.
WDIVC3/4	Die & hole cutter for 3/4" ventilator	76300
WDIVC1	Die & hole cutter for 1" ventilator	76292



DIES & CUTTERS ARE ALSO SOLD SEPARATELY



Osborne grommet inserting dies and grommet hole cutters are numbered to correspond with standard size grommets. The dies are guaranteed to set the proper size and style Osborne grommets. Grommet dies and cutters should be used with an Osborne rawhide hammer or wooden mallet, not with a steel hammer. We recommend our No. 395 rawhide hammers for this purpose.

PLAIN GROMMET INSERTING DIE



Male sits flat on base.

Osborne No. 216

Sets **plain rim grommets and washers**. Sizes 00 thru 5 are CNC machined from high grade tool steel, while sizes 6 & up are a malleable iron casting. Properly machined and hardened. The finest industrial grommet dies made. For best results use only Osborne grommets and washers G1, B1, N1 & SS1 with corresponding sizes.

Size No.	Weight each (lbs)	Weight each (oz)	UPC No.	Size No.	Weight each (lbs)	Weight each (oz)	UPC No.
00	1	6	13212	5	2	10	13224
0	1	6	13214	6	3	15	13226
1	1	7	13216	8	3	16	13230
2	1	7	13218	10	3	10	13232
3	1	9	13220	11	4	15	13234
4	2	8	13222	15	5	15	13236

SPUR GROMMET INSERTING DIE




Male sits higher on base. This gap prevents teeth on spur grommets from getting crushed when set.

Osborne No. 217

Sets **rolled rim grommets & spur washers**. Sizes 0 thru 5 CNC machined from high grade tool steel, while sizes 6 & up are a malleable iron casting. Properly machined and hardened. The finest industrial grommet dies made. For best results use only Osborne grommets and washers G2, N2 & B2 with corresponding sizes.

Size No.	Weight each (lbs)	Weight each (oz)	UPC No.	Size No.	Weight each (lbs)	Weight each (oz)	UPC No.
0	1	6	13244	5	2	10	13254
1	1	7	13246	6	3	15	13256
2	1	7	13248	7	4	6	13258
3	1	9	13250	8	5	8	13260
4	2	8	13252	10	7	8	13262

GROMMET HOLE CUTTER



Osborne No. 500

Use with corresponding sizes of grommets and setting dies. Drop forged, hardened and polished edge. Inside tapered for easy clearance.

Size No.	Hole size (in)	Weight ea. (oz.)	UPC No.	Size No.	Hole size (in)	Weight ea. (oz.)	UPC No.
00A	3/16	2	51610	4A	1/2	6	51620
0A	1/4	2	51612	5A	5/8	9	51622
1A	9/32	3	51614	6A	3/4	9	51624
2A	3/8	3	51616	7A	7/8	12	51626
3A	7/16	6	51618	8A	1	13	51628

GROMMET HOLE CUTTER SET



Osborne No. K-500

Packed in a vinyl pouch and contains 1 each of sizes: 3/16", 1/4", 9/32", 3/8", 7/16" and 1/2". UPC No. 01522.

Osborne No.	Hole punch sizes included (inches)						Weight (lb) (oz)
K-500	3/16	1/4	9/32	3/8	7/16	1/2	1 8

For best results in setting our plain rim grommets and washers, use an **Osborne No. 500** hole punch and an **Osborne No. 216** setting die with corresponding sizes. Also can be set using W-1 & W-3 Machines. Sizes 00 to 6 are packed in 1 gross boxes.


PLAIN RIM GROMMETS AND WASHERS

Osborne No. G1 & N1 & B1

Sizes 00 to 6 available in BRASS, NICKEL & DULL BLACK finish. Material is brass. 144 pcs. per box.

Osborne No. SS

STAINLESS STEEL. Sizes 00 to 4 available. 144 pcs. per box.



G1 - BRASS



N1 - NICKEL



B1 - DULL BLACK



SS - STAINLESS STEEL

Size No.	Diameter of hole when set (inches)	Outside diameter (inches)	Length under flange (inches)	Weight/box (lbs) (oz)	BRASS UPC No.	NICKEL UPC No.	BLACK UPC No.	STAINLESS UPC No.
00	3/16	0.460	0.135	- 2	13012	13112	71884	72880
0	1/4	0.546	0.175	- 5	13014	13114	71882	72882
1	9/32	0.700	0.185	- 8	13016	13116	71886	72884
2	3/8	0.835	0.215	- 12	13018	13118	71888	72886
3	7/16	0.955	0.295	1 2	13020	13120	71890	72888
4	1/2	1.062	0.374	1 8	13022	13122	71892	72890
5	5/8	1.205	0.330	1 12	13024	13124	71894	N/A
6	13/16	1.828	0.232	6 -	13026	13126	71896	N/A

For best results in setting our ROLLED rim grommets and SPUR washers, use an **Osborne No. 500** hole punch and an **Osborne No. 217** setting die with corresponding sizes. Also can be set using W-1 & W-3 Machines. Sizes 00 to 6 are packed in 1 gross boxes.

ROLLED RIM GROMMETS AND SPUR WASHERS

Osborne No. G2, N2 & B2

Sizes 0 to 8 available in BRASS, NICKEL and DULL BLACK finish. Material is brass. 144 pcs. per box.




G2 - BRASS



N2 - NICKEL



B2 - DULL BLACK



Size No.	Diameter of hole when set (inches)	Outside diameter (inches)	Length under flange (inches)	Weight/box (lbs) (oz)	BRASS UPC No.	NICKEL UPC No.	BLACK UPC No.
0	9/32	0.645	0.175	- 13	13044	13144	13344
1	13/32	0.790	0.205	1 2	13046	13146	13346
2	7/16	0.890	0.215	1 10	13048	13148	13348
3	15/32	0.970	0.255	2 4	13050	13150	13350
4	9/16	1.120	0.320	2 4	13052	13152	13352
5	5/8	1.270	0.380	3 8	13054	13154	N/A
6	3/4	1.505	0.420	5 10	13056	13156	N/A
7	29/32	1.725	0.446	5 10	13058	13158	N/A
8	1 3/32	1.910	0.465	8 2	13060	13160	N/A




These **LARGE GROMMETS** are installed with our Osborne No. W-1 Hand Press Machine or W-3 Pneumatic Machine using their correspondent grommet dies. Available in 3 sizes. Packed and sold in boxes of 20 sets. Size 10 is SPUR, 12 & 15 are PLAIN. Mostly used on draperies.



* G2-10 & N2-10 are spur
LUF = Length under flange

Osborne No.	Finish	Whole diameter (inches)	Outside diameter (inches)	LUF (inches)	Weight/box (lbs) (oz)	UPC No.
G2-10	* BRASS	1-1/2	2.36	0.355	1 - 3	13062
N2-10	* NICKEL					13162
A1-12	ANTIQUE	1-9/16	2.453	0.360	1 - 5	71878
B1-12	BLACK					71880
G1-12	BRASS					71874
N1-12	NICKEL					71876
A1-15	ANTIQUE	2	3.135	0.420	1 - 6	71879
B1-15	BLACK					71881
G1-15	BRASS					71872
N1-15	NICKEL					71877

GROMMET KITS



Refills also available
**Osborne No. G1S, N1S,
& B1S**

Osborne No. K257-00

Kit includes Osborne No. 257-00 Grommet Setting Plier, No. 245 Hole Punch and one gross of grommets No. G1-00. This kit sets 3/16" hole diameter grommets. Carded for display purposes.

Overall length (inches)	Card (inches)	Weight (oz.)	UPC No.
8	11 x 4	12	13292

Osborne No. K257N-00

This grommet kit is similar to Osborne No. K257-00 but with **nickel** finish grommets. Also carded for display purposes. UPC No. 13295.

GROMMETS REFILLS



Osborne No. G1S, N1S, B1S & SS1S

Plain rim grommets refills for our Grommet Kits Osborne No. K235 & K232. Available in **BRASS** finish Osborne No. G1S, **NICKEL** finish Osborne No. N1S, **DULL BLACK** finish Osborne No. B1S. and **STAINLESS STEEL** Osborne No. SS1S. Packaged in hang up display bags.

Size No.	Grommets per bag	UPC No.	Size No.	Grommets per bag	UPC No.
00	24	13000	3	24	13003
0	24	13030	4	24	13004
1	24	13001	5	24	13005
2	24	13002	6	24	13006

MIDGET GROMMET DIE



Osborne No. 235

For setting plain rim washers and grommets. For home use or hobbyist.

Size No.	Weight ea. lbs.	UPC No.	Size No.	Weight ea. lbs.	UPC No.
00	1	13272	3	1 1/4	13280
0	1	13274	4	1 1/4	13284
1	1	13276	5	1 3/4	13286
2	1 1/4	13278	6	1 3/4	13288

SET-IT-YOURSELF GROMMET KIT



Osborne No. K234 (With brass plain grommets)

Hang up display card is packed in an easy to use DISPLAY BOX. Complete instructions on back of card. Kit includes: one wood block, one hole cutter, one setting die and brass grommets and plain washers. Available in 6 sizes listed below. Card measures 6-7/8" x 9-3/4".

Osborne No. K231 (With nickel plain grommets)

Similar to our Osborne No.K234 series but with nickel finish grommets and plain washers. Cards measures 6-7/8" x 9-3/4".

Osborne No. K233 (With dull black plain grommets)

Similar to our Osborne No.K234 series but with dull black grommets and plain washers. Cards measures 6-7/8" x 9-3/4".

Size No.	Hole size (inches)	Grommets per card	Weight ea. (oz.)	K234 UPC No.	K231 UPC No.	K233 UPC No.
00	3/16	4 dozen	14	13318	13306	13306
0	1/4	4 dozen	14	13320	13308	13308
1	9/32	4 dozen	15	13322	13310	13310
2	3/8	2 dozen	17	13324	13312	13312
3	7/16	2 dozen	18	13326	13314	13314
4	1/2	2 dozen	19	13328	13316	13316

HOME GROMMET KITS



Osborne No. K235

A complete and affordable kit for consumer use. Each kit consists of a No. 235 grommet die, a No. 245 cutting punch, three dozen **brass** plain rim grommets and washers, a small cutting board and complete instructions. Sizes 5 and 6 have 18 grommets.

Osborne No. K232

Same as the K235 series but with **plain rim nickel finish** grommets. Same sizes and packaging.

Size No.	Hole size (inches)	Grommets per card	Weight ea. (oz.)	K235 UPC No.	K232 UPC No.
00	3/16	4 dozen	14	13293	13264
0	1/4	4 dozen	14	13294	13263
1	9/32	4 dozen	15	13296	13265
2	3/8	2 dozen	17	13298	13266
3	7/16	2 dozen	18	13300	13267
4	1/2	2 dozen	19	13302	13268
5	5/8	18 ea.	22	13304	13270
6	13/16	18 ea.	24	13305	13271



SNAP-FASTENER KIT



Osborne No. K230-20 & K230-24

An easy to use hand snap set. Snaps are nickel plated brass. Available in two sizes: # 20 baby snaps 1/2" or # 24 standard 5/8" snaps. Kit includes 25 complete snaps, flaring tool, two dies (concave and stud) a bracket and instructions.

Osborne No.	Description	Weight ea. (oz.)	UPC No.
K230-20	# 20 Sanp set kit	3	14231
K230-24	# 24 Sanp set kit	3	14228

SNAP-FASTENER KIT



Osborne No. 230-24 & 230-20

3 pc. setter only. No snaps are included. Available for line # 20 (1/2" baby snaps) and line # 24 (standard 5/8" snaps).

Osborne No.	Description	Weight ea. (oz.)	UPC No.
230-20	# 20 snap setter only	2	14236
230-24	# 20 snap setter only	2	14234

SNAP-FASTENER KIT



**Osborne No. K229-20 (Baby Snaps)
Osborne No. K229-24 (Standard Snaps)**

Includes parts to complete six 1/2" baby snaps or 5/8" standard nickel plated brass snaps along with flaring tool and die. Instructions printed on back of hang up card 4 3/4" x 5 3/4".

Osborne No.	Snap diameter (inches)	Weight ea. (oz.)	UPC No.
K229-20	1/2	3	14230
K229-24	5/8	3	14232

DURABLE SNAP SETTER



Osborne No. 229

Osborne No. 229-20 - Setting die for #20 Baby Dot snaps.
Osborne No. 229-24 - Setting die for #24 Standard snaps.
Comes with flaring tool, a double-sided die and instructions.

Osborne No.	Snap diameter (inches)	Weight (oz.)	UPC No.
229-20	1/2	3	17282
229-24	5/8	3	17284



SNAPS FASTENERS

1/4" high
also available
in 3/8"



1/4" high
also available
in 3/8"

MATERIAL	Brass	Steel	Stainless Steel		
FINISHES	Nickel plated	Enamel black	Shiny brass	Copper black	Antique
SIZES	# 20 (BABY SNAPS 1/2") & # 24 (STANDARD SNAPS 5/8")				
QUANTITY	100 pcs per box = C or 1,000 pcs. per box = M				

**SOLD PER SETS
OR BY INDIVIDUAL
PARTS**

SETS (COMPLETE 4 PARTS)

OSBORNE No.	Size	Material	Finish	Pcs.	UPC No.	
K1708-11-C	20	STAINLESS STEEL	STAINLESS STEEL	100	14196	
K1708-11-M				1,000	14198	
K2708-11-C		BRASS	NICKEL PLATED	100	14200	
K2708-11-M				1,000	14202	
K2713-16-C			COPPER BLACK	100	14204	
K2713-16-M				1,000	14206	
K2717-20-C		SHINNY BRASS	100	14208		
K2717-20-M			1,000	14210		
K3708-11-C		STEEL	NICKEL PLATED	100	14212	
K3708-11-M				1,000	14214	
K3713-16-C			COPPER BLACK	100	14216	
K3713-16-M				1,000	14218	
K3717-20-C			SHINNY BRASS	100	14220	
K3717-20-M				1,000	14222	
K3721-24-C			ANTIQUE	100	14256	
K3721-24-M				1,000	14258	
K4708-11-C			BRASS	NICKEL PLATED	100	14235
K4708-11-M					1,000	14237
K4713-16-C				COPPER BLACK	100	14238
K4713-16-M					1,000	14239
K4717-20-C	SHINNY BRASS	100		14240		
K4717-20-M		1,000		14241		
K4721-24-C	STEEL	ANTIQUE		100	14252	
K4721-24-M				1,000	14254	
K5708-11-C	STEEL	NICKEL PLATED		100	14245	
K5708-11-M				1,000	14247	
K5713-16-C		COPPER BLACK		100	14248	
K5713-16-M				1,000	14249	
K5717-20-C		SHINNY BRASS		100	14250	
K5717-20-M				1,000	14251	
K6708-11-C		STAINLESS STEEL		STAINLESS STEEL	100	14260
K6708-11-M					1,000	14262

INDIVIDUAL PARTS

OSBORNE No.	Size	Part	Material	Finish	Pcs.	UPC No.			
1708-C	20	Eyelet	STAINLESS STEEL	STAINLESS STEEL	100	67286			
1708-M					1,000	67288			
1709-C		Cap			100	67290			
1709-M					1,000	67292			
1710-C		Socket			100	67294			
1710-M					1,000	67296			
1711-C		Stud			100	67298			
1711-M					1,000	67300			
2708-C		20			Eyelet	BRASS	NICKEL PLATED	100	40002
2708-M								1,000	40004
2709-C	Cap		100	40008					
2709-M			1,000	40010					
2710-C	Socket		100	40014					
2710-M			1,000	40016					
2711-C	Stud		100	40020					
2711-M			1,000	40022					
2713-C	20		Eyelet	BRASS	COPPER BLACK			100	40026
2713-M								1,000	40028
2714-C		Cap	100			40032			
2714-M			1,000			40034			
2715-C		Socket	100			40038			
2715-M			1,000			40040			
2716-C		Stud	100			40044			
2716-M			1,000			40046			
2717-C	20	Eyelet	BRASS	SHINNY BRASS	100	40050			
2717-M					1,000	40052			
2718-C		Cap			100	40056			
2718-M					1,000	40058			
2719-C		Socket			100	40062			
2719-M					1,000	40064			
2720-C		Stud			100	40068			
2720-M					1,000	40070			
2721-C	20	Eyelet	BRASS	ANTIQUE	100	50000			
2721-M					1,000	50002			
2722-C		Cap			100	50004			
2722-M					1,000	50006			
2723-C		Socket			100	50008			
2723-M					1,000	50010			
2724-C		Stud			100	50012			
2724-M					1,000	50014			
3708-C	20	Eyelet	STEEL	NICKEL PLATED	100	40074			
3708-M					1,000	40076			
3709-C		Cap			100	40080			
3709-M					1,000	40082			
3710-C		Socket			100	40086			
3710-M					1,000	40088			
3711-C		Stud			100	40092			
3711-M					1,000	40094			



OSBORNE No.	Size	Part	Material	Finish	Pcs.	UPC No.		
3713-C	20	Eyelet	STEEL	COPPER BLACK	100	40098		
3713-M					1,000	40100		
3714-C		Cap			100	40104		
3714-M					1,000	40106		
3715-C		Socket			100	40110		
3715-M					1,000	40112		
3716-C		Stud			100	40116		
3716-M					1,000	40118		
3717-C	20	Eyelet	STEEL	SHINY BRASS	100	40122		
3717-M					1,000	40124		
3718-C		Cap			100	40128		
3718-M					1,000	40130		
3719-C		Socket			100	40134		
3719-M					1,000	40136		
3720-C		Stud			100	40140		
3720-M					1,000	40142		
4708-C	24	Eyelet	BRASS	NICKEL PLATED	100	78368		
4708-M					1,000	78372		
4709-C		Cap			100	78380		
4709-M					1,000	78384		
4710-C		Socket			100	78392		
4710-M					1,000	78396		
4711-C		Stud			100	78356		
4711-M					1,000	78360		
4713-C	24	Eyelet	BRASS	COPPER BLACK	100	78428		
4713-M					1,000	78432		
4714-C		Cap			100	40152		
4714-M					1,000	40154		
4715-C		Socket			100	40158		
4715-M					1,000	40159		
4716-C		Stud			100	40162		
4716-M					1,000	40164		
4717-C	24	Eyelet	BRASS	SHINY BRASS	100	40168		
4717-M					1,000	40170		
4718-C		Cap			100	40174		
4718-M					1,000	40176		
4719-C		Socket			100	40180		
4719-M					1,000	40182		
4720-C		Stud			100	40186		
4720-M					1,000	40188		
4725-C	24	Eyelet	BRASS	ANTIQUE	100	50016		
4725-M					1,000	50018		
4726-C		Cap			100	50020		
4726-M					1,000	50022		
4727-C		Socket			100	50024		
4727-M					1,000	50026		
4728-C		Stud			100	50028		
4728-M					1,000	50030		
4908-C	24	Eyelet XL 3/8"	BRASS	NICKEL P.	100	40198		
4908-M		1,000			40200			
4909-C		Cap XL 3/8"			100	40204		
4909-M	1,000	40206						
5708-C	24	Eyelet	STEEL	NICKEL PLATED	100	78584		
5708-M					1,000	78588		
5709-C		Cap			100	78596		
5709-M					1,000	75600		
5710-C		Socket			100	78608		
5710-M					1,000	78612		
5711-C		Stud			100	78620		
5711-M					1,000	78624		
5713-C	24	Eyelet	STEEL	COPPER BLACK	100	40222		
5713-M					1,000	40224		
5714-BLK C		Cap		ENAMEL BLACK	100	40225		
5714-BLK M					1,000	40227		
5714-C		Cap		STEEL	COPPER BLACK	100	40228	
5714-M						1,000	40230	
5715-C		Socket				100	40234	
5715-M						1,000	40236	
5716-C	Stud	100	40240					
5716-M		1,000	40242					
5717-C	24	Eyelet	STEEL			SHINY BRASS	100	40246
5717-M							1,000	40248
5718-C		Cap		100	40252			
5718-M				1,000	40254			
5719-C		Socket		100	40258			
5719-M				1,000	40260			
5720-C		Stud		100	40264			
5720-M				1,000	40266			
6708-C	24	Eyelet	STAINLESS STEEL	STAINLESS STEEL	100	40300		
6708-M					1,000	40302		
6709-C		Cap			100	40304		
6709-M					1,000	40306		
6710-C		Socket			100	40308		
6710-M					1,000	40310		
6711-C		Stud			100	40312		
6711-M					1,000	40314		

SCREW STUD



Osborne No.	Description	UPC No.
4712-3/8C	Br. Screw stud 3/8" pk. 100	78404
4712-3/8M	Br. Screw stud 3/8" pk. 1000	78400
4712-5/8C	Br. Screw stud 5/8" pk. 100	78416
4712-5/8M	Br. Screw stud 5/8" pk. 1000	78420
4712SS-3/8C	SS. Screw stud 3/8" pk. 100	78410
4712SS-3/8M	SS. Screw stud 3/8" pk. 1000	78416
4712SS-5/8C	SS. Screw stud 5/8" pk. 100	78412
4712SS-5/8M	SS. Screw stud 5/8" pk. 1000	78414

Used on furniture, automobiles, recreational vehicles, manufactured housing, etc. It snaps into a nylon snap ring and shell after it's fully assembled or into a socket and cap.

MATERIAL	Brass	Stainless Steel
FINISHES	Nickel plated	Stainless Steel
SIZES	3/8" long and 5/8" long.	
QUANTITY	100 pcs per box = C or 1,000 pcs. per box = M	

HAND VENTILATOR SETTER



Osborne No. 621-3/4

For setting 3/4" Ventilators.

1.- Punch 9/16 hole in material (Use Osborne No. 149 -9/16" punch or on Vinyl, use No. 149 7/16 punch).

Osborne No. 621-1

For setting 1" Ventilators.

1.- Punch 3/4 hole in material(Use Osborne No. 149 -3/4" punch or on Vinyl, Use No. 149-5/8 punch).

2.- Lay ventilator neck up on base, place material over ventilator, now slip ventilator ring on bow side up. A few even taps with an Osborne Rawhide Mallet No. 196 will set ventilators.

Osborne No.	Length (inches)	Width (inches)	Weight ea. (oz)	UPC No.
621 3/4	4	1	14	64402
621 1	4	1-1/2	20	64404

VENTILATORS



One-piece construction for added strength. Used as breathers for mattresses, cushions and plastic slipcovers. Ventilators are solid brass. 2 sizes are available. These can be set also using Osborne Hand Press W-1 & Pneumatic Machine W-3.

Osborne No. V-1 3/4


Brass Plain rim ventilators used with our 621-3/4. Packed one gross.

Osborne No. V-1 1

Brass Plain rim ventilators used with our 621-1. Packed one gross.

Osborne No.	Diameter of hole when set (inches)	Weight/box (lbs.) (oz)	UPC No.
V-1 3/4	9/16	1 0	14412
V-1 1	3/4	1 4	14414

VENTILATOR PUNCH



Osborne No. 622

Hardened and tempered steel. High quality. Used to punch ventilator holes illustrated in pattern.

Overall length (inches)	Hole diameter (inches)	Weight (oz)	UPC No.
5-1/4	3/32	10	02198

OSBORNE E-Z CUT LEATHER SHEARS



Osborne No. 708

At last a shear that cuts leather up to 8-oz. as easy as butter. Try them, compare them, you will be amazed. Knife-edge, ultra-sharp blades are chrome-plated, blunt points and ground at just the right angle for cutting leather. An Osborne exclusive.

Overall length (inches)	Length of cut (inches)	Point style	Weight (oz)	UPC No.
8-1/4	3	Blunt	7	60692

8" BENT TRIMMER SHEARS



Osborne No. 164

Hot drop-forged and fully nickel plated with black enamel handles for durable, long-term value.

Overall length (inches)	Length of cut (inches)	Point style	Weight (oz)	UPC No.
8-1/2	3-1/2	Sharp	7	60570



HOG RING PLIER WITH VINYL HANDLES

Osborne No. 1440

9 different styles with straight or angled handles, come with opening spring, closing spring and no spring. Please specify style. Grooves are the proper depth. Made of **forged** steel. Use with Osborne hog rings.

EACH PLIER IS PACKED ON A DISPLAY CARDBOARD 11" x 4".

Osborne No.	Spring Type	Description	UPC No.
1440-A	NO SPRING	Straight handle.	54132
1440-B		Upward 135 degree bent handle.	54138
1440-C		Side bent handle.	54144

1440-AO	OPENING SPRING	Straight handle.	54134
1440-BO		Upward 135 degree bent handle.	54140
1440-CO		Side bent handle.	54146

1440-AC	CLOSING SPRING	Straight handle.	54136
1440-BC		Upward 135 degree bent handle.	54142
1440-CC		Side bent handle.	54148

All handles and jaws are aligned. 6-3/4" overall length. Weight each 8 oz.

REPLACEMENT PARTS

Osborne No.	Description	UPC No.
1440-SO	Replacement opening spring only	54152
1440-SC	Replacement closing spring only	54154

OPENING SPRING



NO SPRING



CLOSING SPRING





HOG RING PLIER WITH VINYL BOW HANDLES

9 different styles with opening spring, closing spring and no spring. Similar to 1440's but with **BOW** handles jointed by a RIVET or a BOLT with NUT & WASHER. Please specify style. Grooves are the proper depth. Made of **forged** steel. Use with Osborne hog rings.

Osborne No.	Handle Type	Description	UPC No.
23-M	STRAIGHT	No spring	54182
23P-M		Closing spring	54184
23S-M		Open spring	54186

23T-M	STRAIGHT	No spring	54188
23TP-M		Closing spring	54190
23TS-M		Open spring	54192

2360T-M	BENT	No spring	54206
2360TP-M		Closing spring	54207
2360TS-M		Open spring	54208

6-3/4" overall length. Weight each 9 oz.

REPLACEMENT PARTS

Osborne No.	Description	UPC No.
1440-SO	Replacement opening spring only	54152
1440-SC	Replacement closing spring only	54154

Joint held by rivet. Handles have been redesigned to fit the palm of the hand.



Tension type hog ring pliers. The joint is held by a bolt, nut and tension washer; this keeps the joint from freezing and helps hold the hog ring when pliers are laid down.




The joint is held by a bolt, nut and tension washer; this keeps the joint from freezing and helps hold the hog ring when pliers are laid down. These 3 styles have upward 135 degree bent handle.





HOG RINGS - SHARP POINTS



Osborne No. 1442


Bright finish, low carbon steel, not galvanized, polished. 14 wire gauge. Size $\frac{3}{4}$ ". Packed and sold in 5 or 25 lbs. strong cartons. To be used with our No. 1440 & No. 773-HRP Hog Rings Pliers.

Osborne No.	Package (lbs.)	Approximate rings per box	UPC No.
1442-5	5 lbs. box	2,000	14592
1442-25	25 lbs. box	10,000	14594

Osborne No. 1444SS-5

Same specs as Osborne No. 1442 but **Stainless Steel**. Packed and sold in 5 lbs. strong carton. UPC No. 14600.

HOG RINGS - BLUNT POINTS




Osborne No. 1443

Bright finish, low carbon steel, not galvanized. 14 wire gauge. Polished 2" overall. Packed and sold in 5 or 25 lbs. strong carton. To be used with our No. 1440 & No. 773-HRP Hog Rings Pliers.

Osborne No.	Package (lbs.)	Approximate rings per box	UPC No.
1443-5	5 lbs. box	2,000	14596
1443-25	25 lbs. box	10,000	14598

HOG RINGS - COPPER COATED



Osborne No. 773

Copper coated hog rings. 14 wire gauge. Available with sharp points or with blunt points. Packed and sold in boxes of 1,000 pcs. To be used with our Osborne No. 773-HRP Hog Ring Pliers. They can also be set with our Osborne series No. 1440 as well.

Osborne No.	Description	Distance between points	Overall length	UPC No.
773-K 25	25mm Sharp pt. rings	1/2"	2"	64799
773-KB 20	20mm Blunt pt. rings	3/8"	1-3/4"	64801
773-KS 20	25mm Sharp pt. rings	3/8"	1-3/4"	64797

HOG RING PLIER



Osborne No. 773-HRP

Hardened and tempered. **Forged** steel. Vinyl handles. Closing spring loaded. Works with hog rings series 773. It can also close hog rings series 1442 & 1443 & 1444. Ideal for closing around small areas.

Length (inches)	Weight each (oz.)	UPC No.
7 $\frac{1}{8}$	8	64794

PINCERS, FLUSH CUT



Osborne No. 93

A rugged forged steel pincer for heavy cutting. Polished flush cut jaws for getting close to a flat surface.

Length (inches)	Weight ea (oz)	UPC No.
8	13	54112

END CUTTING NIPPER



Osborne No. 94

An excellent small nipper. Made of drop forged steel. Black finish, polished jaws. Flush cut. Vinyl grips to add comfort.

Length (inches)	Weight ea (oz)	UPC No.
6-3/8	7	54122

DIAGONAL CUTTING NIPPERS



Osborne No. 91

These rugged drop forged nippers are ideal for cutting hog rings and wire. Polished head, finest industrial quality. Red vinyl grips to add comfort.

Length (inches)	Jaw thickness (inches)	Weight ea. (oz)	UPC No.
8	9/16	13	54082

DIAGONAL CUTTING NIPPERS



Osborne No. 3377

Similar to above but shorter and lighter. These rugged drop forged nippers are ideal for cutting hog rings and wire. Polished head, finest industrial quality. Red vinyl grips to add comfort.

Length (inches)	Jaw thickness (inches)	Weight ea (oz)	UPC No.
7-1/4	7/16	7	54072

VINYL ROOF, CARPET AND VENEER ROLLER

Osborne No. 399

Roll it on vinyl roofs, gets all the air pockets out and on interior carpeting to smooth it out. This tool can also be used for Veneer work in furniture. Available in 2 sizes. Round edge, single side design to get close to walls. Ball bearing race. Available in two handle sizes.



Osborne No.	Overall length (inches)	Weight each (oz.)	UPC No.
399-S	9 1/2	2 1/4	14304
399-L	12	2 1/2	14302

TUCKING TOOL - RIGID

Osborne No. 747

For tucking headlining and upholstery around windows and above doors and other hard to reach places. A sturdy tough tool with a slightly curved steel blade that has finished edges and rounded corners. Comfortable hardwood riveted handle.



Osborne No.	Blade length (inches)	Overall length (inches)	Weight (oz)	UPC No.
747	2-5/8	7-1/2	4	64704

TUCKING TOOL - FLEXIBLE

Osborne No. 746

Same as above but with flexible spring steel blade. A very popular tool. Hardwood riveted handle.



Osborne No.	Blade length (inches)	Overall length (inches)	Weight (oz)	UPC No.
746	2-5/8	7-1/2	4	64702

TUCKING TOOL - PLASTIC BLADE


Osborne No. 745

Same as above but with flexible plastic blade. Hardwood riveted handle



Osborne No.	Blade length (inches)	Overall length (inches)	Weight (oz)	UPC No.
745	2	6-3/4	3	64700

HEADREST RELEASE KEY SET



Osborne No. K-752

Set of 4 Headrest Release Keys No. 752's. Removes the headrest from most american cars. Instructions included.

1 each of the following sizes				Weight / set (oz)	UPC No.
Size (inches)	1/4	5/16	1/2		
				6	14722

DOOR HANDLE CLIP REMOVER



Osborne No. 758

High quality. Perfect for auto trim work. Plated. An industry standard.

Overall length (inches)	Weight ea. (oz)	UPC No.
7	4	64764

MOULDING RELEASE KEY



Osborne No. 757

High quality. Perfect for auto trim work. Plated.

Overall length (inches)	Weight ea. (oz)	UPC No.
7	4	64762

TRIM PAD REMOVER




Osborne No. 760

High quality. Perfect for auto trim work. Plated.

Overall length (inches)	Weight ea. (oz)	UPC No.
8-1/2	4	64766

RETAINER CLIP INSTALLER



Osborne No. 99

A practical tool for placing trim retainer clips over headed studs welded around the body window shields and rear window openings. This tool reduces the risk of chips and scratches to glass windows put in by make-shift tools. This tool is specifically designed to fit trim clips over the studs and virtually eliminates glass breakage. It also dispenses with the need to remove rubber-like sealant surroundings the studs.

Overall length (inches)	Weight ea. (oz)	UPC No.
8	5	64166

MOULDING CLIP TOOL



Osborne No. 97

This clever tool installs and removes the plastic clips which hold moulding strips. Just press down and slide clip on or off. Helps avoid scratches on new finishes or injury to worker's hand. A useful tool designed to save time and money. It makes this job so easy.

Overall length (inches)	Weight ea. (oz)	UPC No.
8-1/2	4	64163

THE SKIFE



Osborne No. 925

Makes a remarkably easy job of skiving vinyl and other materials. Increases both speed and accuracy. This essential tool is fitted with a special stainless steel razor blade. Ideal for restoration work. Extra blades available.

Osborne No. 925-D


Safety dispenser with 20 STAINLESS STEEL BLADES.

Osborne No. 925-100

Bulk pack of 100 STAINLESS STEEL blades.

Osborne No.	Description	Weight ea. (oz)	UPC No.
925	Skife knife	2	60182
925-D	Dispenser	3	04113
925-100	100 blades	4	10183

SPLITTING MACHINE



Osborne No. 86

This solid splitting machine is the most professional marketed. It has a sturdy cast iron frame. 6" hollow ground inlaid blade. Easy fine tuning adjustment for even splitting of any thickness of leather. Instruction sheet provided. For the true professional. Weighs 6 lbs. UPC No. 17052.

Replacement parts	86-B	86-BS	86-R	86-SC	86-SP	86-TH
Description	6" blade	B-Adjusting screw	Roler	Screw	Spring	Thumb Screw
UPC No.	17054	17055	17056	17058	17060	17062

SEAM RIPPER



Osborne No. 1020

Made of finest steel with both hook and pointed blade. Used for ripping seams. Cuts auto carpeting, vinyl, plastic and rubber. Beechwood handle contoured to fit hand. A handy professional tool.

Length of blade (inches)	Weight ea. (oz)	UPC No.
2-7/8	4	60146

SHARPENING STONE



Osborne No. 1021

Specially contoured stone to sharpen the hook as well as the other parts of the Osborne No. 1020 knife. This quality stone can be used to sharpen other Osborne knives.

Overall length (inches)	Diameter (inches)	Weight ea. (oz)	UPC No.
6	3/4	2	64512

HAWBILL KNIFE



Osborne No. 420

This hawbill knife is made of finest cutlery steel. Varnished hardwood handle.

Length of blade (inches)	Weight ea. (oz)	UPC No.
3	2	60100



SQUARE POINT KNIFE



Osborne No. 76

The finest quality knife with lacquered round plantation hardwood handle, easy to hold, brass ferrule. Widely used in many industries. Steel blade.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 3/4	3/4	2	60042

SQUARE POINT KNIVES



Osborne No. 76 1/2 & 77

Trimmer's and upholsterer's knife. Lacquered hardwood handle is somewhat shorter and heavier than in the Osborne No. 76. Steel blade. Also available with steel safety guard **Osborne No. 77** UPC No. 60050.



Length of blade (inches)	Width of blade (inches)	Weight ea. (oz)	76 1/2 UPC No.	77 UPC No.
3 7/8	5/8	2	60046	40047

BROAD POINT KNIVES



Osborne No. 78 & 78 1/2

Round lacquered hardwood handle. Steel blade. Also available with safety guard **Osborne No. 78 1/2**.



Length of blade (inches)	Width of blade (inches)	Weight ea. (oz)	78 UPC No.	78 1/2 UPC No.
5	1 1/8	2	60054	60058

SHARP POINT KNIFE



Osborne No. 79 1/2

Lacquered hardwood handle, sharp point knife. A popular knife in the upholstery and trimming industry. Steel blade.

Length of blade (inches)	Width of blade (inches)	Weight ea (oz)	UPC No.
3 3/4	3/4	2	60060

BEVEL POINT KNIFE



Osborne No. 479

Used for skiving and edge trimming on leather and similar materials. Plated ferrule. Lacquered hardwood handle.

Length of blade (inches)	Weight ea (oz)	UPC No.
3	2	60112

SAFETY SHEATH FOR OSBORNE KNIVES



Osborne No. 72

A sturdy leather sheath for our industrial knives. Slits fit on belt. Stitched edges reinforced with seven rivets.

Overall length (inches)	Length of pocket (inches)	Width (inches)	Weight ea. (oz)	UPC No.
10	5 1/4	2	3	60184

DEAD BLOW HAMMER




Osborne No. 391

Minimizes damage to the struck surface and controls force with minimal rebound. Head is filled with shot, which absorbs the impact of a strike, reducing the bounce-back. Used in many applications. Available in 4 sizes.

Osborne No.	Description	Weight ea. (lbs.)	UPC No.
391 1	Dead blow hammer 1 lb.	1	11066
391 1-1/2	Dead blow hammer 1-1/2 lb.	1-1/2	11068
391 2	Dead blow hammer 2 lb.	2	11070
391 3	Dead blow hammer 3 lb.	3	11072

SPLIT HEAD HAMMER



Osborne No. 395

Ideal for use with punches, grommet dies and wherever a cushioned blow is desired. No trouble to replace faces. Just loosen the safety nut, remove the worn face, insert replacement and tighten. Long wearing. Rawhide, nylon, urethane and copper faces available. Rawhide faces supplied if none are specified.

Osborne No.	Description	Weight pair (lbs) (oz)	Diameter of face (inches)	Length of head (inches)	UPC No.
395-1R	Sz. 1 - Rawhide	1 9	1 1/4	3 5/8	11090
395-2R	Sz. 2 - Rawhide	2 -	1 1/2	4 1/4	11094
395-3R	Sz. 3 - Rawhide	2 15	1 3/4	4 7/8	11098
395-1N	Sz. 1 - Nylon	1 8	1 1/4	3 5/8	11092
395-2N	Sz. 2 - Nylon	2 -	1 1/2	4 1/4	11096
395-3N	Sz. 3 - Nylon	2 15	1 3/4	4 7/8	11100
395-1U	Sz. 1 - Urethane	1 8	1 1/4	3 5/8	11091
395-2U	Sz. 2 - Urethane	2 -	1 1/2	4 1/4	11095
395-3U	Sz. 3 - Urethane	2 15	1 3/4	4 7/8	11099
395-1C	Sz. 1 - Copper	2 -	1 1/4	3 5/8	11093
395-2C	Sz. 2 - Copper	2 15	1 1/2	4 1/4	11097
395-3C	Sz. 3 - Copper	4 4	1 3/4	4 7/8	11101



REPLACEMENT FACES

RAWHIDE		NYLON		URETHANE		COPPER	
Osborne No.	UPC No.						
395F-1R	11103	395F-1N	11105	395F-1U	11104	395F-1C	11106
395F-2R	11107	395F-2N	11109	395F-2U	11108	395F-2C	11110
395F-3R	11111	395F-3N	11113	395F-3U	11112	395F-3C	11114

RAWHIDE MALLET - With solid head



Osborne No. 196

Light-weight mallet head made of rolled water buffalo rawhide. White hickory handle. Recommended for many jobs where a soft striking face is required.

Size No.	Length of head (inches)	Diameter of face (inches)	Length of handle(in)	Weight each (oz)	UPC No.
0	2 3/8	1	9	2	11052
1	3 1/8	1 1/4	9	4	11054
2	3 1/4	1 1/2	9 1/4	6	11056
3	3 3/8	1 3/4	10 1/4	8	11058
4	3 1/2	2	10 1/4	10	11060
5	4	2 1/2	11 1/4	16	11062
6	4 1/2	2 3/4	11 1/4	20	11064



POLY MALLET



Osborne No. 496

The strong polymer head is wear resistant and long lasting. The special material absorbs shock and minimizes the mallet bouncing back. Hardwood handle.

Length of head (inches)	Diameter of face (inches)	Length of handle (inches)	Weight ea. (oz)	UPC No.
3 1/2	1 3/4	10	8	11082

BARREL SHAPED HICKORY MALLET



Osborne No. 89.5

Made of hardwood hickory, a carefully finished, well balanced, heavy mallet. Lacquered.

Size No.	Diameter of face (inches)	Diameter of head (inches)	Length of handle (inches)	Weight ea. (oz)	UPC No.
2	2 1/2	6	11 1/2	24	61012
2 1/2	2 3/8	5 1/2	10 1/2	15	61014
3	2 1/4	5 1/2	10 1/4	12	61016
3 1/2	2	5 1/4	10 1/4	12	61018
4	1 3/4	5	10 1/4	8	61020

HICKORY MALLET



Osborne No. 90

A serviceable and sturdy mallet. Made of hardwood hickory. Lacquered.

Size No.	Diameter of face (inches)	Diameter of head (inches)	Length of handle (inches)	Weight ea (oz)	UPC No.
2	2 3/4	5 1/2	10 1/2	18	61032
3	2 1/2	5 1/2	10 1/2	17	61034
4	2	5	10 1/2	14	61036
5	2	4	9	8	61038

BLACK RUBBER MALLET



Osborne No. 197

Rubber mallets can be used without fear of marring. Limited bounce. Head of solid dense black rubber with hardwood handle. Finest quality of rubber. Duro hardness is 70 with 5% tolerance. 2 sizes are available.

Size No.	Diameter of face (inches)	Length of head (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	2	3 1/4	12	11	61162
3	2 1/2	4 1/2	14	24	61164

WHITE RUBBER MALLET



Osborne No. 396


Extra heavy white rubber mallet will not mar or mark surface. Superior quality of rubber. Limited bounce. Hardwood handle. Duro hardness is 70 with 5% tolerance. Available in 2 sizes. Replacement handles are also sold separately.

Size No.	Diameter of face (inches)	Length of head (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	2	3 1/4	12	13	61142
3	2 1/2	4 1/2	14	28	61146

RAWHIDE MAULS

Osborne No. 393

Well balanced and built to last. The water buffalo hides are uniquely treated for maximum durability and shock absorbance. Easy to handle, they strike square and deliver controlled dead blows. Used with tarp, tent, awning, canvas, sail making, tool & die shops, leather crafting, cutting dies, etc. The laminated heads are specially compressed between 2 brass flanges, connected to a lacquered oak handle by an internal solid steel rod.



Replacement parts are also available.

Osborne No.	Approximate Weight	Head Diameter "A"	Head Length "B"	Overall Length "OAL"	UPC No.
393 1-1/2	1-1/2 lbs.	2-1/2"	1-5/16"	8-1/4"	11008
393-2	2 lbs.	2-3/4"	1-5/8"	8-3/4"	11020
393-3	3 lbs.	3"	1-3/4"	9-1/4"	11022
393-4	4 lbs.	3-5/8"	2-1/4"	10"	11024
393-6	6 lbs.	4"	2-1/4"	10-3/4"	11026
393-8	8 lbs.	4-1/4"	2-1/4"	11"	11028

RAWHIDE REFILLS

Osborne No.	Description	UPC No.
393-1-1/2 RR	Rawhide refill for # 1-1/2 Maul	11006
393-2 RR	Rawhide refill for # 2 Maul	11030
393-3 RR	Rawhide refill for # 3 Maul	11032
393-4 RR	Rawhide refill for # 4 Maul	11034
393-6 RR	Rawhide refill for # 6 Maul	11036
393-8 RR	Rawhide refill for # 8 Maul	11038



The punches below are forge from the finest quality high carbon steel. Hardened and tempered points for industrial use. Pointed ends are highly polished. Hexagon shanks with industrial finish.

CENTER PUNCHES

Osborne No. 353



Hex stock size(inches)	Length (inches)	Weight ea. (oz)	UPC No.
1/4	6	1	52310
3/8	5	2	52312
1/2	6	5	52314
5/8	6 1/2	8	52316

PRICK PUNCHES

Osborne No. 354



Hex stock size(inches)	Length (inches)	Weight ea. (oz)	UPC No.
1/4	4 1/2	1	52330
5/16	4 1/2	2	52332
3/8	5	5	52334
1/2	6	8	52336
5/8	6 1/4	8	52338

SOLID PUNCHES

Osborne No. 355



Point diameter (inches)	Hex stock size(inches)	Length (inches)	Weight ea. (oz)	UPC No.
1/8	3/8	4 1/2	2	52400
1/4	1/2	6	8	52404
3/16	3/8	5	2	52402
5/16	21/32	9	12	52406
3/8	3/4	6 1/2	19	52408

PIN PUNCHES

Osborne No. 357



Point diameter (inches)	Hex stock size(inches)	Length (inches)	Weight ea. (oz)	UPC No.
3/32	5/16	4 1/2	1	52370
1/8	5/16	6	2	52372
5/32	5/16	6	2	52374
3/16 x 3/8	3/8	5 1/2	2	52376
7/32	3/8	6	2	52380
3/16 x 1/2	1/2	6	4	52378
1/4	1/2	6	4	52382
5/16	1/2	9	6	52384

ALIGNING PUNCHES

Osborne No. 359




Point diameter (inches)	Hex stock size(inches)	Length (inches)	Weight ea. (lbs.)	Weight ea. (oz.)	UPC No.
1/4	5/8	10	-	8	52350
5/16	5/8	12	-	15	52356
5/16	3/4	12	1	4	52354
3/8	3/4	15	2	1	52352



These punches should be used on an Osborne No. #603 Cutting pad.
The use of an Osborne wooden mallet or rawhide hammer is recommended.
Steel hammers are not recommended.

ARCH PUNCH - Original and correct design for cutting

Osborne No. 149



Meets Government Standards

Osborne arch punches are drop forged in one piece from the finest special carbon steel in sizes from 1/8" to 2-1/8" diameter. Larger sizes are made with our properly engineered two piece welded construction. A unique feature of the Osborne arch punch is the inside taper which permits the punchings to clear easily through the barrel. Punches have fully polished barrel. The cutting edge is fully hardened all the way through and properly finished to provide long use trouble free punching.

INCHES stock sizes shown below:

Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.	Diameter (inches)	Weight ea (lbs) (oz)	UPC No.
1/8	- 2	01008	1 1/2	2 -	01052	2 7/8	2 13	01096	4 1/4	5 -	01140	5 5/8	5 14	01172
3/16	- 2	01010	1 9/16	1 14	01054	2 15/16	2 11	01098	4 5/16	5 -	01142	5 11/16	5 14	01173
1/4	- 2	01012	1 5/8	1 14	01056	3	2 12	01100	4 3/8	5 1	01144	5 3/4	5 14	01174
5/16	- 2	01014	1 11/16	1 8	01058	3 1/16	2 5	01102	4 7/16	5 1	01146	5 13/16	5 15	01175
3/8	- 3	01016	1 3/4	2 6	01060	3 1/8	2 9	01104	4 1/2	5 1	01148	5 7/8	5 15	01176
7/16	- 5	01018	1 13/16	2 5	01062	3 3/16	2 13	01106	4 9/16	5 2	01150	5 15/16	6 -	01177
1/2	- 7	01020	1 7/8	2 4	01064	3 1/4	2 11	01108	4 5/8	5 4	01152	6	6 -	01178
9/16	- 7	01022	1 15/16	2 2	01066	3 5/16	5 4	01110	4 11/16	5 4	01154	6 1/16	6 -	01179
5/8	- 8	01024	2	3 13	01068	3 3/8	4 11	01112	4 3/4	5 5	01156	6 1/8	6 1	01185
11/16	- 8	01026	2 1/16	3 8	01070	3 7/16	4 11	01114	4 13/16	5 6	01158	6 3/16	6 1	01186
3/4	- 9	01028	2 1/8	3 13	01072	3 1/2	4 12	01116	4 7/8	5 6	01160	6 1/4	6 2	01187
13/16	- 8	01030	2 3/16	1 10	01074	3 9/16	2 5	01118	4 15/16	5 7	01161	6 5/16	6 2	01188
7/8	- 12	01032	2 1/4	2 7	01076	3 5/8	3 13	01120	5	5 8	01162	6 3/8	6 3	01189
15/16	- 12	01034	2 5/16	2 7	01078	3 11/16	3 15	01122	5 1/16	5 8	01163	6 7/16	6 3	01190
1	- 13	01036	2 3/8	2 8	01080	3 3/4	4 8	01124	5 1/8	5 10	01164	6 1/2	6 3	01191
1 1/16	- 12	01038	2 7/16	2 8	01082	3 13/16	3 12	01126	5 3/16	5 10	01165	6 9/16	6 4	01192
1 1/8	- 15	01040	2 1/2	2 10	01084	3 7/8	4 2	01128	5 1/4	5 11	01166	6 5/8	6 4	01193
1 3/16	- 15	01042	2 9/16	2 14	01086	3 15/16	3 12	01130	5 5/16	5 11	01167	6 11/16	6 4	01194
1 1/4	1 3	01044	2 5/8	2 15	01088	4	4 12	01132	5 3/8	5 12	01168	6 3/4	6 5	01195
1 5/16	1 5	01046	2 11/16	2 15	01090	4 1/16	4 5	01134	5 7/16	5 12	01169	6 13/16	6 5	01196
1 3/8	1 9	01048	2 3/4	3 1	01092	4 1/8	3 14	01136	5 1/2	5 13	01170	6 7/8	6 5	01197
1 7/16	1 9	01050	2 13/16	2 8	01094	4 3/16	4 6	01138	5 9/16	5 13	01171	7	6 6	01199

MILLIMETERS stock sizes shown below:

Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.	Diameter (mm)	Weight ea (lbs) (oz)	UPC No.
2	- 3	01204	14	- 6	01228	26	1 -	01252	38	2 -	01276	50	3 12	01300
3	- 3	01206	15	- 8	01230	27	1 -	01254	39	2 -	01278	51	4 -	01302
4	- 3	01208	16	- 8	01232	28	1 2	01256	40	1 13	01280	52	4 -	01304
5	- 3	01210	17	- 9	01234	29	1 2	01258	41	2 12	01282	53	4 -	01306
6	- 3	01212	18	- 9	01236	30	1 2	01260	42	2 12	01284	54	4 8	01308
7	- 3	01214	19	- 11	01238	31	1 6	01262	43	3 -	01286	55	4 8	01310
8	- 3	01216	20	- 10	01240	32	1 4	01264	44	3 -	01288	56	4 12	01312
9	- 5	01218	21	- 12	01242	33	1 6	01266	45	3 -	01290	57	4 12	01314
10	- 5	01220	22	- 12	01244	34	1 6	01268	46	3 -	01292	58	5 -	01316
11	- 5	01222	23	- 12	01246	35	1 8	01270	47	3 8	01294	59	5 -	01318
12	- 5	01224	24	1 -	01248	36	1 10	01272	48	3 8	01296	60	5 -	01320
13	- 6	01226	25	1 -	01250	37	1 8	01274	49	3 12	01298			



These punches should be used on an Osborne No. #603 Cutting pad.
The use of an Osborne wooden mallet or rawhide hammer is recommended.
Steel hammers are not recommended.

ARCH PUNCH SETS



Osborne No. K-14

This set of seven arch punches includes the sizes most widely used. They are put up in a sturdy, easy to use canvas tool roll as shown.

1 each of following sizes Osborne No. 149 - Arch Punch:									Weight per set (lbs)	UPC No.
K-14	Sizes (inches)	1/4	3/8	1/2	5/8	3/4	7/8	1	4	01180

Osborne No. K-14MM

This set of seven arch punches includes the most popular millimeter sizes. They are put up in a sturdy, easy to use canvas tool roll as shown.

1 each of following sizes Osborne No. 149mm - Arch Punch:									Weight per set (lbs)	UPC No.
K-14MM	Sizes (mm)	6	8	10	12	16	20	25	2 1/2	01179



Osborne No. K-16

This set of seven arch punches of sixteenth sizes are incremented by 1/8" starting with 3/16". They are put up in a sturdy, easy to use canvas tool roll as shown.

1 each of following sizes Osborne No. 149 - Arch Punch:									Weight per set (lbs)	UPC No.
K-16	Sizes (inches)	3/16	5/16	7/16	9/16	11/16	13/16	15/16	4	01181

BELT PUNCH SET



Osborne No. K-245

Kit contains the most frequently used sizes packed in a sturdy vinyl pouch.

Kit contains 1 each of following Osborne No. 245 - Belt Punches	
Size	Diameter (inches)
2	1/8
4	5/32
6	3/16
9	1/4
12	5/16
14	3/8
Weight per set (oz.)	13
UPC No.	01520



These punches should be used on an Osborne No. #603 Cutting pad.
The use of an Osborne wooden mallet or rawhide hammer or is recommended.
Steel hammers are not recommended.

MINI-PUNCH SET



Osborne No. K-157

A special punch set for cutting small, precise holes in soft materials where throated or plier punches won't reach. Set has a round handle with slot inside to clear punchings. Handle is threaded to accommodate the seven replaceable screw tubes which are shown at left. See page 7 for actual size tube chart. Set consists of seven tubes and handle. Replacement handle **Osborne No. K157-H** is also available as well as the tubes **Osborne No. 153T**.

Tube size No.	0	1	2	3	4	5	6	Weight per set (oz)	UPC No.
Tube size (inches)	5/64	3/32	7/64	1/8	5/32	11/64	3/16	8	01860

SELF-CENTERING PUNCH SET



Osborne No. K-156

This handy and versatile kit contains threaded handle with self-centering pointed plunger. The threaded handle will accommodate nine inter-changeable threaded cutting tubes. The punches in this set will cleanly cut leather, rubber, paper, plastics and other soft materials. The self-centering point makes these punches ideal for cutting concentric washers in small quantities by hand. Sizes of punches listed below. All cutting edges properly hardened. Comes in a sturdy plastic box for storage.

Tube sizes (inches)									Weight per set (lbs)	UPC No.
1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	2 1/4	01870

REPLACEMENT PARTS

Osborne No.	Description	UPC No.	Osborne No.	Description	UPC No.
K156-H	Extra handle	01872	K-156T 1/2	Extra tube	01888
K-156T 1/4	Extra tube	01880	K-156T 5/8	Extra tube	01890
K-156T 5/16	Extra tube	01882	K-156T 3/4	Extra tube	01892
K-156T 3/8	Extra tube	01884	K-156T 7/8	Extra tube	01894
K-156T 7/16	Extra tube	01886	K-156T 1	Extra tube	01896

SELF-CENTERING PUNCH SET



Osborne No. K-159

Similar punch set as above item, but in larger sizes.

Tube sizes (inches)				Weight per set (lbs)	UPC No.
1-1/8	1-1/4	1-3/8	1-1/2	4	01850



These punches should be used on an Osborne No. #603 Cutting pad.
The use of an Osborne wooden mallet or rawhide hammer is recommended.
Steel hammers are not recommended.

ROUND OR DRIVE PUNCH

Osborne No. 147



These Drive Punches are **drop forged** from finest special carbon steel, carefully hardened, with polished barrel. The hole tapers back from the cutting edge so that the punchings clear freely.

Actual Size																	
Size No.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Diameter Size	5/64	7/64	1/8	9/64	5/32	11/64	3/16	7/32	1/4	9/32	5/16	3/8	13/32	7/16	15/32	33/64	9/16
Weight ea (oz)	2	2	2	2	2	2	2	3	3	3	3	4	4	6	6	7	9
UPC No.	51410	51412	51414	51416	51418	51420	51422	51424	51426	51428	51430	51432	51434	51436	51438	51440	51442

BELT PUNCH - Round shank

Osborne No. 245

Hardened cutting edge - milled clearing hole.



INCHES

Size No.	00	0	1	2	3	4	5	6	7	8	9
Diameter (inches)	1/16	5/64	3/32	1/8	9/64	5/32	11/64	3/16	13/64	7/32	1/4
Weight oz.	1	1	1	1	1	1	1	1	1	1	1
UPC No.	51460	51462	51464	51466	51468	51470	51472	51474	51476	51478	51480
Size No.	10	11	12	13	14	15	16	1/2	9/16	5/8	3/4
Diameter (inches)	17/64	9/32	5/16	11/32	3/8	13/32	7/16	-	-	-	-
Weight oz.	3	3	3	4	4	4	4	7	9	9	12
UPC No.	51482	51484	51486	51488	51490	51492	51494	51496	51500	51498	51536

METRIC

Diameter (millimeters)	2mm	3mm	4mm	5mm	6mm	7mm	8mm	9mm	10mm
Weight oz.	1	1	1	1	1	1	1	1	1
UPC No.	51502	51504	51506	51508	51510	51512	51514	51516	51518
Diameter (millimeters)	11mm	12mm	13mm	14mm	15mm	16mm	18mm	20mm	
Weight oz.	3	3	3	3	4	4	4	4	
UPC No.	51520	51522	51524	51526	51528	51530	51534	51538	

CUTTING PAD

Osborne No. 603



Made with a special formula of resilient vinyl, these tough cutting pads are designed for use with Osborne punches. They are long wearing and can be used on both sides. Cutting pads should be used on a solid base for best results. The semi-self healing surface absorbs cuts and helps prevent damage to the cutting edge of the punch.

Size (inches)	Weight ea (lbs) (oz)	UPC No.
10 x 10 x 3/8	2 4	67692

OBLONG PUNCH

Osborne No. 400



Actual sizes




Polished barrel with hardened cutting edge. Hole tapers inside for easy punching clearings.

Size No.	Size (inches)	Weight ea (oz)	UPC No.
1	11/16 x 3/16	5	01644
2	7/8 x 1/4	6	01646



FORGED REVOLVING PUNCH

For professional and industrial use



Replacement punch tube

Osborne No. 155 1-6

This punch is the best Revolving Punch made. Six tube punch made with tubes sizes 1, 2, 3, 4, 5, & 6. The frame is made of forged steel, highly polished. Cutting tubes are turned from special carbon tool steel and threaded to allow easy replacement. Copper anvil. Each tube is individually hardened. The throat distance from the cutting tube to the back of jaw is 1 1/4".

Osborne No.	Description	Weight ea. (oz.)	UPC No.
155 1-6	Revolving Punch	15	52010
155-A	Extra anvil	1	52052
155-HS	Extra handle spring	1	02070
155-SP	Extra side spring	1	02072
155T-(size)	Extra tube (specify size)	1	-----
155T 1-6	Set of replacement tubes	2	02046

Note: Replacement tubes sizes 00, 0 & 7 are also available.

REVOLVING PUNCH - Nickel Plated



PACKED ON A DISPLAY CARD 11" x 4".

Osborne No. 223

A fine quality pressed steel frame revolving punch with drive tubes. All tubes are heat treated to give long wear. Furnished with tubes sizes: 0 (5/64"), 1 (3/32"), 2 (7/64"), 3 (1/8"), 4 (5/32") & 6 (3/16").

Osborne No.	Description	Weight ea. (oz.)	UPC No.
223	Revolving Punch	6	02290
223T-0	Replacement tube 5/64"	1	52222
223T-1	Replacement tube 3/32"	1	52224
223T-2	Replacement tube 7/64"	1	52226
223T-3	Replacement tube 1/8"	1	52228
223T-4	Replacement tube 5/32"	1	52230
223T-6	Replacement tube 3/16"	1	52234

PUNCH TUBES SIZE CHART

Size No.	00	0	1	2	3	4	5	6	7
Diameter size	1/16	5/64	3/32	7/64	1/8	5/32	11/64	3/16	13/64
Actual size	●	●	●	●	●	●	●	●	●
UPC No.	52022	52024	52026	52028	52030	52032	52034	52036	52038

Note: Numbers 155 and 223 punch tubes are not interchangeable.



RIVETS SETTERS

INSTRUCTIONS

Choose the rivet setter with a hole diameter slightly larger than the rivet being set. Sizes for #170 correspond with popular 8, 9 and 10 copper rivets. For other size rivets, use above table to determine proper size of #169 Rivet Setter. Push the rivet through the hole then turn the material over. Place burr on rivet, then use the rivet setting tool's straight hole to drive the burr down tight against the material. Cut the rivet off close to the burr with side or end nippers. Do not cut off flush with the burr, but leave about 1/16 of an inch above the burr. The hole on the side of the rivet setter can be used to dislodge any waste that is wedged into the tool. Place the concave recess of setter on the burr. Hold perpendicular and strike the tool forcefully, turning to the left then right as you strike. This spreads the end of the rivet over the burr, simultaneously rounding its end. A few extra blows from the # 57 riveting hammer can be used to flatten the rivet end a bit, if desired.

Osborne No. 1700

COPPER RIVETS and burrs. Use with Osborne Nos. 169 & 170. 1 lb. box.



Size number	8	9	10	12	14
Diameter under head (inches)	.181	.161	.151	.137	.102
Overall length (inches)	3/4	3/4	3/4	3/4	3/4
Approx. number of rivets & burrs per lb.	3/4	3/4	3/4	3/4	3/4
Tool to be used	170-8	170-9	170-10	169-6	169-8
UPC No.	67278	67279	67280	67282	67284

Osborne No. 169

Polished face, forged steel. Hardened working end.



TINNER'S RIVET SETTER

Osborne No.	Hole Dia.	Copper Rivet	Iron Rivet	Weight ea (oz)	UPC No.	Osborne No.	Hole Dia.	Copper Rivet	Iron Rivet	Weight ea (oz)	UPC No.
169-00	.313	-	14	15	67222	169-4	.166	9	2-1/2, 3	5	67232
169-0	.281	5	10,12	15	67224	169-5	.149	10, 11	1-3/4, 2	5	67234
169-1	.234	6	6	9	67226	169-6	.141	12	1-1/2	5	67236
169-2	.213	7	7	9	67228	169-7	.125	13	1-1/4	5	67238
169-3	.191	8	4, 5	9	67230	169-8	.109	14	10, 12	5	67240

Osborne No. 170

Polished face, forged steel. Hardened working end.



FARMER'S RIVET SETTER

Osborne No.	Hole Dia.	Copper Rivet	Rivet Shank Dia.	Weight ea (oz)	UPC No.
170-8	.191	8	.181	5	67252
170-9	.171	9	.161	5	67254
170-10	.161	10	.151	5	67256

RIVET SETTER



Osborne No. 443

For use with loose leaf binders.

Overall length (inches)	Shank diameter (inches)	Weight ea. (oz).	UPC No.
4	3/8	2	67352

RIVET SETTER



Osborne No. 168

Rivet setter with concave end and knurled handle.

Overall length (inches)	Shank diameter (inches)	Weight ea. (oz).	UPC No.
3 7/8	3/8	2	67220

EYELET SETTER



Osborne No. 456 & 24-24

Spreads eyelets so that they can be flattened with a mallet or rawhide hammer. Knurled handle prevents slipping. Nickel plated.

Osborne No.	Overall length (inches)	Shank diameter (inches)	Weight ea. (oz).	UPC No.
456	4 3/8	5/16	1	67402
24-24	4 3/8	1/4	1	67400

EYELET SETTER



Osborne No. 257

Enables eyelets to be set in a paper card without preparation. Pierces material and sets 5/32" and 1/4" in a single operation. 2 sizes.

Osborne No.	Overall length (inches)	For eyelets size (inches)	Weight ea. (oz).	UPC No.
257 5/32	8 1/2	5/32	7	17292
257 1/4	8 1/2	1/4	7	17294

CANING CHISEL




Osborne No. 405

Hardened and tempered steel. Available in two sizes to fit groove size. Has a translucent cellulose acetate handle. Carded for display.

Osborne No.	Blade length (inches)	Blade width (inches)	Overall (inches)	Weight ea(oz)	UPC No.
405 1/8	4	1/8	8	3	53222
405 3/16	4	3/16	8	3	53224

CANING NEEDLE



Osborne No. 407

NICKEL PLATED. Makes weaving in the strands faster and easier. Snake the needle through the strands, thread the eye and pull needle across the frame.

Overall length (inches)	Size of eye (inches)	Weight (oz)	UPC No.
21	1/8 x 3/32	1	64338

Weaving strands with the Osborne No. 407 Needle

CANING TOOL



Osborne No. 406

This Caning Tool can be used to move individual or multiple canes during any stage of the caning process by hooking one or both pins behind the cane and pulling it into position. This tool makes caning easier with less repetitive motion and lighter finger load.

Overall length (inches)	Weight ea. (oz)	UPC No.
5-1/4	1	64336

PATENT PENDING

BASKET WEAVING TOOL WITH EYE



Osborne No. 423 & 423-L

Hardwood handle. Ideal for work in the more confining space of basket weaving. Also available with bigger eye Osborne No. 423-L.

Osborne No.	Overall length (inches)	Size of the eye (inches)	Weight ea. (oz)	UPC No.
423	5-1/4	1/8 x 3/32	1	64339
423-L	5-1/4	3/8 x 5/16	1	64346

BASKET WEAVING TOOL



Osborne No. 424-S

Stainless steel straight blade. Round polished hardwood handle. Ideal for working in water.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 3/8	7	1	64337



Osborne No. 424-B

Stainless steel bent blade. Round polished hardwood handle. Ideal for working in water.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
3 1/8	7	1	64335



GENUINE BONE FOLDER, TRADITIONAL



Osborne No. 464

Highly polished genuine cattle bone folder for pasting and folding. Also for burnishing Latrone sheets, lettering, gold leaf etc. Ideal size for best results.

Overall length (inches)	Weight ea. (oz)	UPC No.
6-1/4	1	67478

GENUINE BONE FOLDER, STRAIGHT



Osborne No. 727A

Straight real high polished cattle bone folder for pasting and folding. Also for burnishing Latrone sheets, lettering, gold leaf, etc. Available in three different sizes.

Osborne No.	Overall length (inches)	Weight ea. (oz)	UPC No.
727A/15	6	1	14664
757A/18	7-1/8	2	14666
727A/20	8	2	14668

SYNTHETIC BONE FOLDER



Osborne No. 465

This bone folder is similar to our No. 464 Bone Folder except that it is made of polished nylon.

Overall length (inches)	Weight ea. (oz)	UPC No.
6-1/4	1	67484

BENT BONE FOLDER



Osborne No. 727

Bent real high polished cattle bone folder for pasting and folding. Also for burnishing Latrone sheets, lettering, gold leaf, etc.

Osborne No.	Overall length (inches)	Weight ea. (oz)	UPC No.
727/15	6	1	14658
757/18	7-1/8	2	14660
727/20	8	2	14662



HEAVY DUTY SCRATCH AWL



Osborne No. 4

Made in four sizes for your convenience. Best quality steel blades with rugged amber translucent cellulose acetate handles.

Size No.	Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
1	2 1/2	4 1/2	1	62012
2	3 1/2	5 1/2	2	62014
3	4 1/2	6 3/4	3	62016
4	5 1/2	7 3/4	4	62018

SCRATCH AWL



Osborne No. 478

Sharp pointed. Tempered blade for piercing leather, sewing and a variety of uses. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2	3 7/8	1	62022

SCRATCH AWL



Osborne No. 911-P

Sharp round pointed. Plastic handle. Hardened steel blade.

Osborne No. 911-PK

Same as above but with square point. UPC. No. 65148.

Blade length (inches)	Overall (inches)	Weight ea (oz)	UPC No. Rd. point	UPC No. Sq. point
4	7 1/2	3	65146	65148

SCRATCH AWL



Osborne No. 604-S

Straight point blade across the handle. Use for striking with a mallet.

Blade length (inches)	Overall (inches)	Weight ea (oz)	UPC No.
4-5/8	6-1/2	2	60056

BADMINTON AWL



Osborne No. T-10

Sharp point. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
1 1/4	5	1	62032

TENNIS AWL



Osborne No. T-11

Blunt point prevents scratching the material when aligning, etc. Hardwood handle.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
2 1/2	6 1/4	1	62042

ALL PURPOSE AWL



Osborne No. 18

Nickel plated. Durable fluted handle. The bent awl is a varied-purpose tool. Great for hard to reach places in upholstery work. Can be used to remove small staples in grooves. Tempered end.

Blade length (inches)	Overall length (inches)	Weight ea (oz)	UPC No.
5 1/2	9 1/2	4 1/2	62052

AUTOMATIC AWL



Osborne No. 413

An unusual tool for sewing leather, canvas and similar materials. The awl carries a spool of waxed polyester black thread on the handle. Hollow handle holds an extra curved needle and wrench. Directions furnished with each awl explaining how automatic awl lock stitch can be effected in repair work. Furnished with one straight (Osborne No. 413N 8) and one curved diamond point (Osborne No. 413N 6) needle.

Weight each 3 oz.

UPC No. 62142



Straight Needle






Curved Needle



Osborne No. 413ST 1/4 lb. tube of thread 85 yards.



Osborne No. 413R reel of thread 12½ yards. Waxed polyester strand (0.27mm diameter).



REPLACEMENT PARTS

Osborne No.	Description	UPC No.
413N 5	Short straight needle	62192
413N 6	Curved needle	62194
413N 8	Coarse straight needle	62196
413R B	Reels of black thread	62182
413R BR	Reels of brown thread	62184
413R W	Reels of white thread	62186
413ST B	Black thread 1/4 lb. tube	12162
413ST BR	Brown thread 1/4 lb. tube	12164
413ST W	White thread 1/4 lb. tube	12166

HAFT WITH AWL INSERTED



C.S. OSBORNE & CO. No 140

Osborne No. 140

Finest quality, Spring steel awl. Sharp end curved end point. Also available with Osborne No. 32 3 already inserted **No. 140-32**.

Blade length (inches)	Overall length (inches)	Weight ea. (oz)	UPC No.
1-1/4	4-3/4	1	62228

AWL HAFT



C.S. OSBORNE & CO. No 140-H

Osborne No. 140-H

Made of hardwood. Designed to fit the palm of your hand. Light weight with ring for easy use of thumb for precise stitching. UPC No. 62232.

AWL HAFT



C.S. OSBORNE & CO. No. 141

Knurled chuck

Osborne No. 141

Lacquer finish, brass chuck designed to hold thick awls or wider needles. Knurling on chuck makes it easy to tighten manually. Narrow neck is correct size for one or two turns of thread. Weighs 2 oz. UPC No. 62208



PALM AWL HAFT

C. S. OSBORNE & CO. No. 142

Osborne No. 142
Made of lacquered hardwood. Comes with steel chuck and wrench. Shaped to fit in hand. Weighs 2 oz. UPC No. 62210.

PEG AWL HAFT

C. S. OSBORNE & CO No. 143

Osborne No. 143
Made with chuck and wrench to permit easy changing of blades. Leather tipped to prevent splitting when hammered. Lacquered hardwood handle. Weighs 2 oz. UPC No. 62212.

SHOE AWL HAFT

C.S. OSBORNE & CO. No. 144

Osborne No. 144
Clear lacquer finish, brass ferrule. Holds awls No. 32, 43, 44 and also needle No. 504-4. Also available with awl No. 32 **Osborne No. 144-32** already inserted & with awl No. 43 **Osborne No. 144-43**.

SEWING AWL HAFT

C.S. OSBORNE & CO. No. 145

Osborne No. 145
Knobbed end permits easy grasp and prevents slipping. Also made for wrapping thread. Made of hard maple. Varnished. Comes with chuck and wrench. Weighs 2 ounces. Holds all Osborne awls shown below. UPC No. 62224.

SEWING AWL HAFT

Knurled chuck → C.S. OSBORNE & CO. No. 928

Osborne No. 928
A popular sewing awl haft in Europe. Knurled chuck makes it easy to tighten manually. Weighs 2 oz. UPC No. 65150.

C.S. Osborne Awl Blades are the finest in the world. Made from premium steel and hand finished.

CURVED DOUBLE POINT AWL

Diamond point

Osborne No. 40
Finest quality. 3-1/2" long. UPC No. 62098. Packed and sold by dozen.

CURVED ROUND POINT AWL

Round point

Osborne No. 140-A
Finest quality. 2-3/8" long. UPC No. 62230. Packed and sold by dozen.

CURVED SEWING AWLS

Flat point

Finest quality.

Osborne No. 31
Available in 3 sizes. Packed and sold by dozen. Specify when ordering.

Size (inches)	2 1/2	3	3 1/2
UPC No.	62082	62084	62086

STABBING AWLS, ROUND POINT

Round point

Osborne No. 32
Finest and toughest steel. Available in 2 sizes: 2-1/2" UPC No. 62092 and 3" UPC No. 62094.

SADDLERS' HARNESS AWL

Diamond point

Finest quality. Special thin sizes.

Osborne No.	42	43	44	45	46	47	48	49	50-H	52
Size (inches)	1 1/2	1 3/4	2	2 1/4	2 1/2	2 5/8	2 3/4	2 7/8	3	3 1/4
UPC No.	62100	62102	62104	62106	62108	62110	62112	62114	62116	62118

SADDLERS' STITCHING AWL

Diamond point

Osborne No.	54	56	57	58	59
Size (inches)	2	2 1/4	2 1/2	2 3/4	3
UPC No.	62120	62122	62124	62126	62128



SAIL PALM



Osborne No. 265

Rawhide palm with bound iron-thimble. Riveted joints. Made in both right and left hand. Right hand will be furnished unless otherwise specified.

Osborne No.	Description	Weight each (oz)	UPC No.
265-RH	Sail palm right hand	2 1/2	67322
265-LH	Sail palm left hand	2 1/2	67324

SEWING PALM



Osborne No. 266

A rawhide bound, iron-thimble palm with riveted joints. Furnished either in right or left hand. Right hand will be furnished unless otherwise specified.

Osborne No.	Description	Weight each (oz)	UPC No.
266-RH	Sail palm right hand	2 1/2	67332
266-LH	Sail palm left hand	2 1/2	67334

OPEN END THIMBLE



Osborne No. 510

Nickel plated brass thimbles. Coarse grate. 6 sizes available.

Osborne No.	English size	USA size	Size (inches)	Weight each (oz)	UPC No.
510-7	7	-	5/8	1	67662
510-9	9	-	11/16	1	67660
510-10	10	2	43/64	1	67658
510-11	11	1	3/4	1	67656
510-12	12	0	21/32	1	67654
510-13	13	00	51/64	1	67652

CLOSED END THIMBLE



Osborne No. 511

Nickel plated brass thimbles. Coarse grate. 6 sizes available.

Osborne No.	English size	USA size	Size (inches)	Weight each (oz)	UPC No.
511-7	7	-	5/8	1	67680
511-9	9	-	11/16	1	67682
511-10	10	2	43/64	1	67678
511-11	11	1	3/4	1	67676
511-12	12	0	21/32	1	67674
511-13	13	00	51/64	1	67672



OSBORNE needles and pins have long been considered a standard for fine quality. Experience and efficiency in the art of needle making for over one hundred and eighty five years have produced the dependable tools well known throughout the trade as **OSBORNE NEEDLES AND PINS**.

The uniform quality of our needles and pins is carefully maintained by the consistent efforts of the skillful crafts people who make them.

QUOTATION FOR SPECIAL NEEDLES AVAILABLE UPON REQUEST.

OSBORNE needles are gauged by the Standard Wire Gauge as the table illustrates. The gauge sizes are also listed in thousandths of an inch and millimeter sizes.

OSBORNE NEEDLE GAUGES

Actual diameter of wire	English gauge	Decimal equiv. (inch)	Decimal equiv. (mm)
	5	.212	5.385
	5 1/2	.202	5.130
	6	.192	4.877
	7	.176	4.470
	7 1/2	.168	4.267
	8	.160	4.064
	9	.144	3.658
	10	.128	3.251
	11	.116	2.946
	11 1/2	.110	2.794
	12	.104	2.642
	13	.092	2.337
	14	.080	2.032
	15	.072	1.829
	16	.064	1.626
	17	.056	1.422
	18	.048	1.219
	19	.040	1.016
	20	.036	0.914
	21	.032	0.813
	22	.028	0.711
	23	.024	0.610

Curved needles are listed in this catalogue according to length (over all) from eye to point. The bottom lines in the following table of measurements also gives the shortest distance (across) from eye to point.

2	2 1/2	3	3 1/2	4	5	6	7	8	9	10	inches over all
1 1/2	1 3/4	2	2 3/8	2 3/4	3 3/8	4	4 3/4	5 1/4	6	6 3/4	inches across



All cellophane and plastic used on Osborne needle cards is biodegradable.

HOUSEHOLD REPAIR KIT



Osborne No. K-1

The hallmark blue and yellow case contains an assortment of professional grade needles. Useful in all applications but "hard-to-find" at your regular source of supply. Kalamazoo hole for hang up display. Plastic covered.

Each Kit Contains:	
2 ea.	Curved upholstery needles.
1 ea.	Special bent needle for sewing up fowl sacks or wherever sewing with a string is needed.
1 ea.	Awning or canvas needle - (can be used on sails too).
1 ea.	Carpet or very heavy material needle.
Weight/box	16 oz.
UPC No.	15012

STRAIGHT ROUND POINT



Osborne No. K-5

Four straight round point needles sizes 6", 8", 10" and 12" to a card. Each card printed in attractive yellow and blue and is in sealed plastic pouch. Kalamazoo hole for hang up display.

Kits per box	Weight per box (oz)	UPC No.
12	18	15018

STRAIGHT DOUBLE ROUND POINT



Osborne No. K-6

3 straight double round point needles sizes 10", 12" & 14" to a card. Each card printed in attractive yellow and blue and sealed in plastic pouch. Kalamazoo hole for hang up display.

Kits per box	Weight per box (oz)	UPC No.
12	18	15010

CURVED ROUND POINT



Osborne No. K-3

4 round point needles in the followings sizes: 3", 4", 5" & 6" long to a card. Kalamazoo hole for hang up display. Plastic covered.

Kits per box	Weight per box (oz)	UPC No.
12	6	15014

CURVED 3-SQUARE POINT



Osborne No. K-4

4 three-square point needles in the followings sizes: 3", 4" 5" & 6" long to a card. Kalamazoo hole for hang up display. Plastic covered.

Kits per box	Weight per box (oz)	UPC No.
12	6	15016

CURVED ROUND POINT X-LIGHT



Osborne No. K-7

4 extra light round point needles in the followings sizes: 2 1/2", 3", 3 1/2" & 4" long to a card. Kalamazoo hole for hang up display. Plastic covered.

Kits per box	Weight per box (oz)	UPC No.
12	4	15020

Following cards are cellophane covered that is biodegradable.

NEEDLE CARD



Osborne No. K-10

Each kit contains 20 sewing needles, 10 Darners and 1 Threader. Kalamazoo hole for hang up display. Nickel plated.

Kits per box	Weight per box (oz)	UPC No.
12	4	15022

NEEDLE CARD




Osborne No. K-11

Each kit contains 25 assorted hand sewing needles. 10 each # 7, 10 each # 5 and 5 each # 3. Kalamazoo hole for hang up display. Nickel plated.

Kits per box	Weight per box (oz)	UPC No.
12	4	15028

NEEDLE CARD



Osborne No. K-12

Each kit contains 5 Chenille and 5 Tapestry needles. 1 each # 18, 2 each # 20 and 2 each # 22. Kalamazoo hole for hang up display. Nickel plated.

Kits per box	Weight per box (oz)	UPC No.
12	4	15034

NEEDLE CARD



Osborne No. K-15

Each kit contains 12 Assorted Darners needles, sizes 0/5. Kalamazoo hole for hang up display. Nickel plated. Kalamazoo hole for hang up display. Nickel plated.

Kits per box	Weight per box (oz)	UPC No.
12	4	15040

ALL CARDS ARE PACKED 12 CARDS PER BOX AND BOXES CANNOT BE BROKEN



CURVED 3 SQUARE POINT



Packed 12 needles per package.

Osborne No. 502X EXTRA LIGHT

Size (in)	2	2 1/2	3	3 1/2	4
Gauge	21	20	19	18	18
UPC No.	15242	15244	15246	15248	15250

Osborne No. 502 1/2 LIGHT

Size (in)	2	2 1/2	3	3 1/2	4	5	6	7	8
Gauge	19	18	18	17	16	16	15	15	15
UPC No.	15262	15264	15266	15268	15270	15272	15274	15276	15278

Osborne No. 502 HEAVY

Size (in)	2	2 1/2	3	3 1/2	4	5	6	7	8	10
Gauge	17	17	16	16	15	14	14	14	13	13
UPC No.	15292	15294	15296	15298	15300	15302	15304	15306	15308	15310

CURVED ROUND POINT



Packed 12 needles per package.

Osborne No. 513X CORD, EXTRA LIGHT

Size (in)	2	2 1/2
Gauge	23	23
UPC No.	15192	15194

Osborne No. 513 CORD LIGHT

Size (in)	2	2 1/2
Gauge	19	19
UPC No.	15196	15198

Osborne No. 501X EXTRA LIGHT

Size (in)	2	2 1/2	3	3 1/2	4
Gauge	21	20	19	18	18
UPC No.	15112	15114	15116	15118	15120

Osborne No. 501 1/2 LIGHT

Size (in)	2	2 1/2	3	3 1/2	4	5	6	7	8
Gauge	19	18	18	17	16	16	15	15	15
UPC No.	15132	15134	15136	15138	15140	15142	15144	15146	15148

Osborne No. 501 HEAVY

Size (in)	2	2 1/2	3	3 1/2	4	5	6	7	8	10
Gauge	17	17	16	16	15	14	14	14	13	13
UPC No.	15162	15164	15166	15168	15170	15172	15174	15176	15178	15180

LAMPSHADE - ROUND POINT



Packed 12 needles per package.

Osborne No. 741

Size (in)	2	2 1/2	3	3 1/2	4
Gauge	21	21	21	19	19
UPC No.	15212	15214	15216	15218	15220

CURVED "LEATHER POINT"



Packed 12 needles per package.

Osborne No. 503 LIGHT

Size (in)	2	2 1/2	3	3 1/2	4	5	6	8
Oval gauge	19	19	16	16	15	15	14	13
Flat gauge	23	23	19	19	19	19	17	17
UPC No.	15322	15324	15326	15328	15330	15332	15334	15336

Osborne No. 553 HEAVY

Size (in)	3	4	5	6	7	8
Oval gauge	15	14	13	13	12	12
Flat gauge	18	17	17	17	14	14
UPC No.	15342	15344	15346	15348	15350	15352

CURVED MATTRESS NEEDLE - LONG BAYONET POINT



Packed 12 needles per package.

Osborne No. 409

Similar to Osborne No. 503 but with sharp hand polished edges.

Size (in)	4	8
Gauge	15	14
UPC No.	15232	15234

SILK / BILLIARD NEEDLE Round point




Packed 12 needles per package.

Osborne No. 521-40MM

Available only in one size.

Size (in)	2
Gauge	23
UPC No.	24260

WEAVING NEEDLES



BALL POINT

Packed 25 needles per package.

Osborne No. 52248

These needles have a rounded tip, so they're perfect for sewing on knit fabrics. A sharp needle can easily damage knit fabric by poking through a thread and then pulling out the knit stitches. A ball point, on the other hand, will pass right through the knit. Available in variety of sizes and thickness. Specify when ordering.

BALL POINT - LIGHT

Size	37	40	44	48	55	62	68	72	76	90	100	110
Length (in)	1.46	1.57	1.73	1.89	2.17	2.44	2.68	2.84	3	3.50	4	4.3
Gauge	23	22	22	22	22	22	22	22	20	18	17	17
UPC No.	14900	14902	14904	14906	14908	14910	14912	14914	14916	14918	14920	14922

BALL POINT - HEAVY

Size	000	002	3/0	5/0	7/0	125
Length (in)	2.91	2.68	3.07	3.54	4.72	4.92
Gauge	18	18	17	16	16	14
UPC No.	14924	14926	14928	14930	14932	14934

Osborne No. 52247

Size	057
Length (in)	2.25
Gauge	18
UPC No.	14910

FOR
NYLON

COLLAR NEEDLES - Half moon



Diamond point

Packed 12 needles per package.

Osborne No. 92 1/2

Size (in)	3	3 1/2	4	5	6	6 1/2	7 1/2	8 1/2
Gauge	12	11	10	9	9	7	6	7
UPC No.	15876	15880	15882	15878	15884	15886	15888	15890

STAINLESS STEEL SERPENTINE NEEDLES




Packed 12 needles per package.

Osborne No. 523

Fine quality stainless steel needle. Triangular sharp cutting edge. Nickel plated. Great for sewing heavy hides where you need a good grip on the needle. 4 sizes available.

Osborne No.	Overall ((inches)	Flat Gauge	Oval Gauge	UPC No.
523 3-1/4	3 1/4	18	15	14942
523 4	4	16	16	14944
523 5-1/2	5 1/2	16	13	14946
523 6	6	15	13	14948

STAINLESS STEEL SERPENTINE NEEDLES



Packed 12 needles per package.

Osborne No. 524

Fine quality stainless steel needle. Triangular sharp cutting edge. Nickel plated. Designed for good grip and ease in use. Won't wear your hands after hours of sewing. Great for light to heavy skins. 4 sizes available.

Osborne No.	Distance "A" (inches)	Flat Gauge	Oval Gauge	UPC No.
524-1	2 5/8	18	16	14950
524-2	2 1/4	19	18	14952
524-3	1 3/4	20	19	14954
524-4	1 1/2	20	19	14956
524-5	1 3/8	20	19	14958

BIRD PELT NEEDLES



Packed 12 needles per package.

Osborne No. 519

Fine quality steel. Curved triangular outside spine point. Ultra thin gauges. 2 sizes available.

Osborne No.	Overall ((inches)	Flat Gauge	Oval Gauge	UPC No.
519 1-1/2	1 1/2	23	20	15742
519 3	3	19	17	15744



STRAIGHT SINGLE ROUND POINT



12 needles per package.

Osborne No. 504

Size (in.)	4	5	6	8	10	12	14	16	18
Gauge	15	14	14	14	13	13	13	12	12
UPC No.	15362	15364	15366	15368	15370	15372	15374	15376	15378

Osborne No. 554

Size (in.)	6	8	10	12	14	16	18
Gauge	13	13	12	12	12	11	11
UPC No.	15386	15388	15390	15392	15394	15396	15398

BOLSTER NEEDLE - ROUND POINT



1 needle per package.

Osborne No. 554-24

Size (in)	24
Gauge	11
UPC No.	15400

STRAIGHT DOUBLE ROUND POINT



12 needles per package.

Osborne No. 505

Size (in.)	6	8	10	12	14	16	18	20
Gauge	14	14	13	13	13	12	12	12
UPC No.	15412	15414	15416	15418	15420	15422	15424	15426

Osborne No. 555

Size (in.)	6	8	10	12	14	16	18
Gauge	13	13	12	12	12	11	11
UPC No.	15432	15434	15436	15438	15440	15442	15444

STRAIGHT SINGLE 3 SQUARE POINT



12 needles per package.

Osborne No. 506

Size (in.)	6	8	10	12	14	16	18
Gauge	14	14	13	13	13	12	12
UPC No.	15452	15454	15456	15458	15460	15462	15464

Osborne No. 556

Size (in.)	6	7	8	10	12	14	16	18
Gauge	13	13	13	12	12	12	11	11
UPC No.	15472	15473	15474	15476	15478	15480	15482	15484

FLOCKING NEEDLES



12 needles per package.

Osborne No. 514

Size (in.)	6	7	7	8	8	10
Gauge	12	12	11	12	11	11
UPC No.	15632	15634	15636	15638	15640	15642

STRAIGHT DOUBLE 3 SQUARE POINT



12 needles per package.

Osborne No. 507

Size (in.)	6	8	10	12	14	16	18
Gauge	14	14	13	13	13	12	12
UPC No.	15492	15494	15496	15498	15500	15502	15504

Osborne No. 557

Size (in.)	6	8	10	12	14	16	18	20
Gauge	13	13	12	12	12	11	11	11
UPC No.	15512	15514	15516	15518	15520	15522	15524	15526



Osborne upholsterer's needles have long been considered the world standard for fine quality. These needles are manufactured from the finest wire to Osborne exacting quality.

HARNES NEEDLES



Osborne No. 517

Packed 25 needles per paper.

Size No.	000	00	0	1	2	3	4	5	6	7
Length (in)	2 3/8	2 3/8	2 3/8	2 3/8	2 1/4	2 1/8	1 7/8	1 7/8	1 9/16	1 5/8
Gauge	16	17	18	19	19	20	20	21	21	22
UPC No.	15672	15674	15676	15678	15680	15682	15684	15686	15688	15690

GLOVERS' NEEDLES



Osborne No. 518

Packed 25 needles per paper.

Size No.	000	00	0	1	2	3	4	5	6	7
Length (in)	2 5/16	2 1/16	2	1 7/8	1 13/16	1 11/16	1 5/8	1 9/16	1 7/16	1 3/8
Gauge	17	17	18	18	18	19	19	20	20	22
UPC No.	15712	15714	15716	15718	15720	15722	15724	15726	15728	15730

PEARL & BEAD STRINGING NEEDLES - Blunt point Osborne No. 559-5



Length (in)	Gauge	UPC No.
5	18	15700

Packed 25 needles per paper.

PEARL & BEAD SEWING NEEDLES Osborne No. 561



Length (mm)	Gauge (mm)	UPC No.
30	0.40	15762
40	0.45	15764

Packed 25 needles per paper.

TAPESTRY NEEDLES - Blunt point

Osborne No. 563

NICKEL PLATED. Packed 25 needles per paper. 8 sizes available.



Size No.	13	14	16	18	20	22	24	26
Length (inches)	2 3/4	2 5/16	2 5/32	2	1 3/4	1 1/2	1 1/4	1 1/8
Gauge	13	14	16	18	20	22	24	26
Eye (inches)	11/16 x 1/16	5/8 x 1/16	1/2 x 3/64	1/2 x 3/64	1/4 x 1/16	1/4 x 1/16	1/4 x 1/32	3/16 x 1/32
UPC No.	15842	15844	15846	15848	15850	15852	15854	15856

CHENILLE NEEDLES - Round point

Osborne No. 562

NICKEL PLATED. Packed 25 needles per paper. 8 sizes available.



Size No.	13	14	16	18	20	22	24	26
Length (inches)	2 3/4	2 5/16	2 5/32	2	1 3/4	1 1/2	1 1/4	1 1/8
Gauge	13	14	16	18	20	22	24	26
Eye (inches)	11/16 x 1/16	5/8 x 1/16	1/2 x 3/64	1/2 x 3/64	1/4 x 1/16	1/4 x 1/16	1/4 x 1/32	3/16 x 1/32
UPC No.	15842	15844	15846	15848	15850	15852	15854	15856

SMYRNA NEEDLES - Blunt point

Osborne No. 565

NICKEL PLATED. Packed 25 needles per paper. 2 sizes available.



Size (inches)	Gauge	Length (inches)	Eye (inches)	UPC No.
1	12	2 3/4	43/64 x 1/16	15872
3	13	2 1/4	1/2 x 1/16	15874

SMYRNA NEEDLES - Round point

Osborne No. 564

NICKEL PLATED. Packed 25 needles per paper. 2 sizes available.



Size (inches)	Gauge	Length (inches)	Eye (inches)	UPC No.
1	12	2 3/4	43/64 x 1/16	15862
3	13	2 1/4	1/2 x 1/16	15864

PEARL & BEAD STRINGING NEEDLES - Sharp point

Osborne No. 560-SP

Length (mm)	Gauge (mm)	UPC No.
100	0.50	15752
125	0.65	15754
100	0.75	15756

PEARL & BEAD STRINGING NEEDLES - Blunt point

Osborne No. 560-BP

Length (mm)	Gauge (mm)	UPC No.
100	0.50	15753
125	0.65	15755
100	0.75	15757

SAILMAKERS' AND CANVAS NEEDLES

Osborne No. 509

Nickel plated

Triangular point



Size (Gauge)	9	10	11	12	13	14	15	16	17
Length (inches)	4	3 3/4	3 1/2	3 1/4	3	2 3/4	2 1/2	2 3/8	2 1/4
UPC No.	15612	15614	15616	15618	15620	15622	15624	15626	15628

BENT PACK NEEDLES

Osborne No. 508

SIDE VIEW



Diamond point

Packed 12 needles per package.

TOP VIEW



Size (inches)	3	3 1/2	4	5	6	7	8	9	10
Gauge	14	13	12	10	9	7	6	5	4
UPC No.	15552	15554	15556	15558	15560	15562	15564	15566	15568

STRAIGHT PACK NEEDLES

Osborne No. 508 1/2

Diamond point



Size (inches)	4	5	6
Gauge	12	10	9
UPC No.	15572	15574	15576

Packed 12 needles per package.

SPRING EYE STRAIGHT PACK NEEDLES WITH CUTTER - INSIDE EYE

Osborne No. 508 1/2 SE

Highly polished by hand. Sharp edges. Flexible eye entry.

Diamond point

TOP VIEW



Packed 12 needles per package.

SIDE VIEW



CUTTER

Size (inches)	4	4 1/2	4	5	5	6	6
Gauge	7	7	8	5	7	5	7
UPC No.	15582	15581	15588	15583	15584	15585	15586

CARPET NEEDLES

ROUND POINT

3 SQUARE POINT



Osborne No. 515

Size (inches)	1 7/8	2 1/8	2 1/2	3
Gauge	18	17	17	16
UPC No.	15652	15654	15656	15658



Osborne No. 516

Size (inches)	2 1/8	2 1/2
Gauge	18	17
UPC No.	15664	15666

Packed 25 needles per package.

UPHOLSTERERS' PINS



Osborne No. 190

Nickel plated. Sold in 1 gross boxes. 4 sizes are available.

Osborne No.	Overall (inches)	Gauge	Weight per gross (oz)	UPC No.
190 2-1/2	2 1/2	16	7	15930
190 3	3	16	8	15932
190 3-1/2	3 1/2	16	10	15934
190 4	4	16	11	15936

Osborne No. 190S

1/4 gross packing in gross boxes in sizes 3" and 3 1/2" only.

T-PINS



Osborne No. 189

Nickel plated. Packed 1/2 lb. to a box. 5 sizes are available.

Osborne No.	Length (inches)	Gauge	Approx. pcs/box	UPC No.
189-16	1	21	1300	15910
189-20	1 1/4	21	975	15912
189-24	1 1/2	19	450	15914
189-28	1 3/4	19	400	15915
189-32	2	19	350	15916

DRESSMAKER'S PINS



Osborne No. 198

High quality. Nickel plated. Solid head. Packed 1 lb. to a box. 6 sizes are available.

Osborne No.	Length (inches)	Gauge	Approx. pcs/box	UPC No.
198-16	1	22	2100	15980
198-17	1 1/16	21	2100	15982
198-20	1 1/4	20	2200	15984
198-24	1 1/2	19	2200	15986
198-28	1 3/4	18	2000	15988
198-32	2	18	1800	15990

PLASTIC HEAD PINS



Osborne No. 193

Nickel plated. Plastic heads are available in green, blue, red, yellow and white. Please specify color preference when ordering.

Osborne No.	Overall (inches)	Gauge	Quantity per box	Weight per box (oz)	UPC No.
193-B	2 1/8	16	100	4	15962
193-G	2 1/8	16	100	4	15970
193-R	2 1/8	16	100	4	15964
193-W	2 1/8	16	100	4	15968
193-Y	2 1/8	16	100	4	15966

PUSH PINS



Osborne No. 183

Nickel plated. Sold in 1 gross boxes. 4 sizes are available.

Osborne No.	Overall (inches)	Gauge	Weight per box (oz)	UPC No.
183	1 1/4	19	5	16022

TWIST PINS




Osborne No. 199

Nickel plated. Clear plastic heads. Used to affix arm chair slip covers and other projects. Packed 100 pcs. per box or in bulk 5,000 pcs. per box **Osborne No. 199-5000**.

Osborne No.	Length (inches)	Gauge	Head diameter (inches)	Weight per box (oz)	UPC No.
199	1/2	21	3/8	2	16012
199-5000	1/2	21	3/8	24	16014

GLASS HEAD PINS



Osborne No. 178 & 181

Nickel plated. High quality steel. Round glass heads. Packed 100 pcs. per box. Assorted colors. Can withstand heat.

Osborne No.	Overall (inches)	Gauge	Head diameter (in)	Weight per box (oz)	UPC No.
178	2	21	11/64	2	16018
181	1 1/4	23	1/8	2	16020